# A NEW SPECIES OF ZALESSKIOXYLON FROM THE GLOSSOPTERIS BEARING BEDS OF ZAMBESI BASIN, MOZAMBIQUE

#### P. K. MAITHY

Birbal Sahni Institute of Palaeobotany, Lucknow

### ABSTRACT

Zalesskioxylon zanbesiensis—a new species, is recorded from the Permian of Zambesi. The wood is characterised by the presence of pitting, both on the radial and tangential walls of tracheids and several small, simple pits in the cross-field area.

#### INTRODUCTION

Fossil plants from the Permian of Zambesi Basin, Mozambique was earlier described by Teixeira (1947). He identified Glossopteris browniana, G. brancai, G. indica, Asterotheca sp., Sphenophyllum thonii, S. oblongifolium, S. speciosum, Schizoneura sp., and Sigillaria sp. from ferruginous brown shales in the vicinity of Tete. Harden Bose (1960) recorded Schizoneura gondwanensis, Samaropsis zambesicus, Vertebraria indica and? Cordaicarpus sp. Real (1966) reported Glossopteris brancai, G. browniana and G. indica from the outcrops above dark shales in the banks of two tributaries of the Sanangoe, near the road to Tete. Oliveria (in Rocha-Campos, 1972) recorded the following forms in addition to the previously known forms, viz. Glossopteris communis, G. cf. G. longicaulis, G. cf. G. occidentalis, G. retifera, G. stricta, G. angustifolia, G. cf. G. ampla, Gangamopteris obovata, Paracalamites, Umbellophyllites, and scale leaves.

In comparison to this, the petrified woods are poorly known from Mozambique. The fossil woods—Dadoxylon nicoli and Australoxylon teixeirae (MARGUERIER, 1971) only are on record from the Lower Permian. The present paper deals with a new fossil wood, so far not known, from Zambesi Basin. The fossil woods were collected as detailed below from the Tete Coalfield.

Specimen number

RG 17039

... From Coal in bed Chipanga V

RG 17040

... From bed Chipanga III

#### DESCRIPTION

Zalesskioxylon Lepekhina & Yatsenko-Khmelevsky, 1966 Zalesskioxylon zambesiensis sp. nov.

Pl. 1, Figs. 1-7; Text-fig. 1.

Two fossil woods—No. RG 17039 and RG 17040, show similar anatomical characters, and are referable to one species. In both specimens only secondary xylem is preserved, primary wood and cortex is not seen.

Diagnosis—Pycnoxylic secondary wood, growth zones doubtful, pits bordered, pitting on radial wall of tracheids 1-4 seriate (commonly bi- to triseriate) or in groups of 2,3 or

Table 1—Wood Piece No. 17039; Height of medullary rays

Number of Medulllary rays counted	48 (5)	52 (3)	(8) (3)	67 (5) *	72 (1)	308 (17)
	:		:	:	_	-
80	:		:	:		:
17	:	:	:	:	;	:
91	:	:	:	:	:	
15	:	:	:	:	-	
4	:	:	-	:	:	_
13 14 15 16 17 18 19	:	:	:	:	:	:
12	:	-	:	:	:	-
11	:	:	:	:	П	_
10	:	:	1	:	1	21
6	2	2	3 (1)	ec.	3 (1) 1	13 (2)
œ	:	3 (1) 2	6	4 (2)	2	(4) 18 (3) 13 (2) 2
7	9 (2)	2	5 (1)	8 (1)	6	
9	12 (2) 7 (1) 9 (2	111	3	11 (1)	11	(4) 43 (2) 33
5	12 (2)	12 (2)	91	10	5	55 (4)
			10 (1) 16	12 (1) 10		53 (2)
4	6	12	10	12	10	53
60	4	5	11	9	13	39
67	4	4	6	11	15	43
	-	:	_	2	:	7
Serial no. of counts	-	11	111	VI	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Total of counts

Table 2—Wood Piece No. 17040; Height of medullary rays.

Number of Medullary rays counted	44 (1)	53	53 (1)	46 (1)	48 (2)	244 (5)
	:	:	:	:	:	:
18	-	:	:	:	:	
17	:	-		:	:	· 🛏
16	_	:	-	-	:	83
15	:	:	:		:	1
13 14 15 16 17 18 19	:	:	2	:	:	2
13		:	:	;	:	
12	2	1	2 (1)	1	1	7 (1)
11	:	:	2	2	7	9
10	2	3	1	3 (1)	6 (1)	15 (2) 6
6	3	2	4	2	60	14
89	4	2	2	2	9	19
7	2	7	3	2	2	16
9	8 (1)	3	1-	7	7	32 (1)
Ŋ	4	10	7	5	8 (I)	34 (1)
4	10	00	7	00	∞ \	36
3	4	7	9	5	4	26
2	9	7	6	85	-	26
П	2	2	:	1	:	ß
Serial no. of counts	I	111	111	VI	>	Total of counts

more; arranged alternate, sub-opposite to opposite; contiguous or separate (mixed type), pit circular when free and flattened or hexagonal when contiguous; pit-pore circular; tangential wall pitting 1-2 seriate or in groups of 2 or 3 pits, pits bordered and circular or circular-oval in shape; pits in the cross-field area 2-14 (commonly 5-6), simple, circular-oval to circular; xylem-rays uniseriate or biseriate, 1-24 cells high (5-6 cells common).

Holotype-RG 17039, Musée Royal du Congo, Belge.

Locality-From coal in bed Chipanga, V. Zambesi Basin.

Age—Permian.


Transverse section—The secondary wood is pycnoxylic composed of tracheids and xylem rays only. Growth zones are not visible to unaided eye, but at places blackish-brown streaks give the appearance of growth rings. The growth zones are also not well marked (Pl. 1, Fig. 1). The late wood is represented by a single row of tracheids which is extremely narrow in comparison to early wood. The shape of late wood cells is narrow and elongate. Width of the late wood is  $\pm 6 \mu$ . The early wood zone is 24-40 cells deep, thick-walled, square to rectangular in shape and their size varies from 24-60  $\mu$ . The intermediate wall between the tracheids is 8-10  $\mu$  thick. The xylem rays are placed at an interval of 4-14 tracheids.

Pitting—Both radial and tangential walls of the tracheids are pitted. However, the pitting on the tangential wall of the tracheids is not common. The radial wall of the tracheids show uniseriate to tetraseriate pitting. Biseriate and triseriate pitting are more common. The uniseriate (Pl. 1, Fig. 2) pits are either arranged in a straight row or irregular. When biseriate, triseriate and tetraseriate, the pits are arranged alternate, sub-opposite or opposite (Pl. 1, Figs. 3, 4). They are either contiguous or separate (i.e. arranged in distinct rows). In several tracheids the pits are arranged in groups of either 2, 3, or 5-6 pits (Pl. 1, Fig. 3). When pits are in pair, they are placed opposite to each other and the third one occupying the central position between the two, either below or above. Groups of 5 or 6 pits show stellate arrangement. Pits are bordered, circular to circular-oval when separate and hexagonal to flattened when contiguous. Rims of Sanio are absent. The diamensions of circular pits are 10.5-14  $\mu \times 10.5$ -12  $\mu$  (average  $12 \times 10.5 \,\mu$ ) and that of flattened pits 8-12 $\times$ 8-10  $\mu$ . The pit-pores in most of cases are well preserved. It is circular in outline and placed at the centre of pits. Diamension of pore is 3.5-5  $\mu$  (Text-fig. 1).

Pitting on the tangential walls of the tracheids is comparatively rare than on the radial walls (Pl. 1, Fig. 5) Pits are either arranged scattered, in uniseriate or even biseriate rows; they may be contiguous or separate, and are arranged opposite or alternate. Pits are bordered, circular or circular-oval in outline and comparatively smaller than the radial pits (6-8  $\mu$  in size). Pit-pores are circular to oval in outline and 2.5-3  $\mu$  in size.

Comparison—Due to presence of several simple pits in the cross-field area and araucaroid pitting, the wood is referable to Zalesskioxylon Lepekhina & Yatsenko-Khmelevsky. Z. sahnii (Singh) Lepekhina (1972) differs in the absence of pits on the tangential wall of tracheids and few pits in the cross-field area. Zalesskioxylon barakarense (Surange & Saxena) Lepekhina (1972) differs in the presence of xylem parenchyma in secondary woods. Araucarioxylon kharkhariense (Maithy) Maheshwari (1972) resembles in the presence of pits on the tangential wall of tracheids but differs in the presence of bordered pits in the cross-field areas. Araucarioxylon manieroi (Krsl. & Dolli.) Maheshwari (1972) from Brazil shows intercellular spaces in the secondary xylem, and the pit-pores of the bordered pits are boat shaped, whereas in the present wood, the intercellular spaces are absent and the pit-pore

is broadly oval. Protophyllocladoxylon derbyi (Olivera) Maheshwari (1972) is characterised by the presence of uniscriate pits, and 1 or 2 big, simple pits in the cross-field.



Text-fig. 1. A & B. Simple pits in the cross-field area. ×500.

#### ACKNOWLEDGEMENTS

Sincere thanks are due to Mr. M. L. Cahen, Director, Musée Royal du Congo Belge and to Dr. M. N. Bose, Assistant Director, Birbal Sahni Institute of Palaeobotany, Lucknow for providing the fossil wood specimens for anatomical investigations. Thanks are also due to Prof. K. R. Surange, Director, Birbal Sahni Institute of Palaeobotany, Lucknow for the permission to undertake this study.

#### REFERENCES

Hopes, O. A. & Bose, M. N. (1960). The Glossopteris flora of the Belgian Congo with a note on some fossil plants from the Zambesi basin (Mozambique). Ann. Mus. Royl. Congo Belge. 8° 32: 1-103.

Lepekhina, V. G. (1972). Woods of Palaeozoic pycnoxcylic gymnosperms with special reference to North Eurasia representatives. *Palaeontographica*. 138B: 44-106.

Lepekhina, V. G. & Yatsenko-Khmelevsky, A. A. (1966). Classification and nomenclature of woods of Palaeozoic pycnoxylic plants. *Taxon.* 15: 66-70 & 191-192.

Maheshwari, H. K. (1972). Permian wood from Antartica and revision of some Lower Gondwana wood taxa. Palaeontographica. 138B (1-4): 1-43.

MARGUERIER, J. (1971). Le genre Australoxylon dans la flore Gondwanienne. 96 Congr. nat. Soc. Savantes. Toulouse. 5: 99-105.

REAL, F. (1956). Geologia da Bacia do Rio Zambese (Mozambique). Junta, Inv. Ultr., Lisboa.

ROCHA-CAMPOS, A. (1972). Lower Gondwana Rocks in Angola and Mozambique with identification of fossil plants in appendix. Sep. Bol. Inst. Invest. Cient. Ang. 9: 51-74.

Teixeira, C. (1947). Contribuição para o conhecimento geólogica do Karoo da Africa Portuguesa I. Sobre a flora fóssil do Karoo da região de Téte (Mozambique). An. Junta. Inv. Ulbi. Est. Geol. Pal. 2: 9-28.

## EXPLANATION OF PLATE

#### PLATE 1

Zalesskioxylon zambesiensis sp. nov.

- 1. Transverse section. ×40.
- 2. Uniseriate radial pitting. ×400.
- 3. Biseriate radial pitting. ×400.
- 4. Triseriate radial pitting. ×400.
- 5. A medullary ray and uniserate ptting on the tangential wall of tracheids.  $\times 400$ .
- 6. Simple pits in the cross-field area.  $\times 400$ .
- 7. Tangential section of wood showing uniscriate or partly biseriate medullay rays. ×100.

