

Angiospermic plants of Uttar Pradesh – a check-list

K. K. Khanna^{1*}

Botanical Survey of India, Central Regional Centre, 10 Chatham Lines,
Allahabad-211002, India

¹Present address: 950B Dariyabad, Kalyani Devi, Allahabad-211003, India

*Corresponding author's e-mail: krishnakkhanna@gmail.com

Manuscript received: 2 February 2017

Accepted for publication: 9 May 2017

ABSTRACT

An account of the angiospermic plants occurring in Uttar Pradesh has been presented in the paper in order to provide the latest status of angiospermic wealth of the state. The study which is based on author's own collections, others' collections and literature has indicated that 2,607 species of angiosperms under 1,094 genera belonging to 174 families are found in the state. Out of these, 633 species in 234 genera and 34 families belong to monocot and 1,974 species in 860 genera and 140 families belong to dicot. Poaceae with 300 species is the largest family and *Cyperus* with 43 species is the largest genus.

Key-words: Angiosperms; Uttar Pradesh; India.

INTRODUCTION

Uttar Pradesh, at present, the fourth largest state of India lies between 23°52' - 30°25' N and 77°3' - 84°39' E. The state covers a geographical area of 2,40,928 sq km and is divided into 75 districts. It is bounded in the north by the international boundary of Nepal, in the south by Madhya Pradesh, in the east by Bihar and Jharkhand and in the northwest, west and southwest by Uttarakhand, Haryana, Delhi and Rajasthan. The state can be physically divided into three regions viz., Terai, Gangetic plain and Deccan plateau. Three distinct seasons viz., summer, monsoon and winter prevail in the state with rainfall ranging from 50 to 150 cm. The soil near the foothills of Himalayas i.e., the Terai region is known as terai soil. This soil is fertile, clayey in composition, rich in humus content and has high water retaining capacity. The major portion of the state i.e., the Gangetic plain has alluvial soil derived from the silt laid down by the rivers originating in the Himalayas. Besides, black cotton soil and red soil are also prevalent in the Deccan plateau region. It is

interesting to note that some tribes viz., Tharu, Bhoxa, Kharwar, Mahigir reside in various districts of the state.

The forest area of the state is 16,583 sq km which is 6.88 % of its geographical area, whereas, the forest cover is 14,338 sq km which is 5.95 %. The state has one National Park and 23 Wildlife Sanctuaries. As far as the forest types are concerned the state has moist tropical and dry deciduous forests of sal or mixed/pure forests of *Syzygium*, *Aegle*, *Haldina*, *Acacia* and *Terminalia*. At places scrub forests having evergreen species also occur. The dominant species in the state are *Shorea robusta*, *Anogeissus latifolia*, *Haldina cordifolia*, *Mallotus philippensis*, *Aegle marmelos*, *Dalbergia sissoo*, *Terminalia alata*, *T. bellirica*, *T. arjuna*, *Holoptelea integrifolia*, *Streblus asper*, *Bauhinia vahlii*, *Butea monosperma*, *Tinospora cordifolia*, *Justicia adhatoda*, *Holarhena pubescens*, *Piper longum*, *Ardisia solanacea*, *Eulaliopsis binata*, *Vetiveria zizanioides*, *Nicotiana plumbaginifolia*, *Oplismenus burmannii*, *Apluda mutica*, *Cymbopogon martini*, *Urena lobata*, etc.

A review of literature indicates that although the check-list of the angiospermic plants of Uttar Pradesh has been published (Uniyal et al. 1994, 1997, 1999; Khanna et al. 1999) but that is of erstwhile state when Uttarakhand was a part of it. Since no data is available about the angiospermic plants of present day Uttar Pradesh, an attempt has been made to prepare a check-list of the angiospermic plants of the state in order to provide the latest status of angiospermic wealth of the state. This check-list is based on author's own collections housed in the herbarium of Botanical Survey of India, Allahabad (BSA), others' collections housed in various herbaria like, Botanical Survey of India, Dehra Dun (BSD), Forest Research Institute, Dehra Dun (DD), National Botanical Research Institute, Lucknow (LWG), etc. and available literature. In order to reduce the bulk of the paper the field numbers have not been given.

All the angiospermic taxa have been enumerated in alphabetical order with the correct binomial under their corresponding families, and the families have been arranged according to Bentham and Hooker's (1862-1883) system of classification.

ENUMERATION

RANUNCULACEAE

Clematis acuminata DC.

Clematis cadmia Buch.-Ham. ex Hook. & Thomson

Clematis gouriana Roxb. ex DC.

Clematis grata Wall.

Clematis napaulensis DC.

Delphinium roylei Munz

Naravelia zeylanica (L.) DC.

Nigella sativa L.

Ranunculus cantoniensis DC.

Ranunculus muricatus L.

Ranunculus sceleratus L.

Ranunculus trichophyllum Chaix ex Vill.

Thalictrum foliolosum DC.

DILLENIACEAE

Dillenia aurea Sm.

Dillenia indica L.

Dillenia pentagyna Roxb.

MAGNOLIACEAE

Magnolia champaca (L.) Baill. ex Pierre

Magnolia grandiflora L.

ILLICIACEAE

Illicium griffithii Hook. & Thomson

ANNONACEAE

Annona muricata L.

Annona reticulata L.

Annona squamosa L.

Artobotrys hexapetalus (L.) Bhandari

Cananga odorata (Lam.) Hook. & Thomson

Desmos chinensis Lour.

Miliusa tomentosa (Roxb.) Finet & Gagnep.

Miliusa velutina (Dunal) Hook. & Thomson

Polyalthia longifolia (Sonn.) Thwaites

var. *longifolia*

var. *pendula*

Polyalthia suberosa (Roxb.) Thwaites

Uvaria hamiltonii Hook. & Thomson

MENISPERMACEAE

Anamirta coccinea (L.) Wight & Arn.

Cissampelos pareira L.

Cocculus hirsutus (L.) Theob.

Cocculus laurifolius DC.

Cocculus pendulus (Forst. & Forst.) Diels

Stephania glabra (Roxb.) Miers

Tiliacora racemosa ColeR.Br.

Tinospora cordifolia (Willd.) Miers

Tinospora sinensis (Lour.) Merr.

NYMPHAEACEAE

Euryale ferox Salisb.

Nymphaea nouchali Burm.

Nymphaea pubescens Willd.

Nymphaea rubra Roxb. ex Andrews

NELUMBONACEAE

Nelumbo nucifera Gaertn.

PAPAVERACEAE

Argemone mexicana L.*Argemone ochroleuca* Sweet*Eschscholzia californica* Cham.*Papaver rhoeas* L.*Papaver somniferum* L.

FUMARIACEAE

Fumaria indica (Hausskn.) Pugsley

BRASSICACEAE

Arabidopsis thaliana (L.) Heynh.*Brassica juncea* (L.) Czern.*Brassica napus* L.*Brassica nigra* (L.) Koch*Brassica oleracea* L.var. *botrytis* L.var. *capitata* L.var. *gemmifera* Zenkervar. *gongylodes* L.*Brassica rapa* L.subsp. *campestris* (L.) Claphamsubsp. *rapa* Hook. & Andersonsubsp. *trilocularis* (Roxb.) Hanelt.*Brassica tournefortii* Gouan*Capsella bursa-pastoris* (L.) Medik.*Cochlearia cochlearioides* (Roth) Santapau & Maheshw.*Coronopus didymus* (L.) Sm.*Eruca vesicaria* (L.) Cav.*Farsetia stylosa* R.Br.*Iberis amara* L.*Iberis odorata* L.*Iberis sempervirens* L.*Iberis umbellata* L.*Lepidium sativum* L.*Matthiola incana* (L.) R.Br.*Nasturtium officinale* R.Br.*Raphanus raphanistrum* L. subsp. *sativus* (L.) Domin*Rorippa indica* (L.) Hiern*Rorippa madagascariensis* (DC.) Hara*Rorippa montana* (Hook. & Thomson) Small*Sisymbrium irio* L.

CAPPARACEAE

Cadaba fruticosa (L.) Druce*Capparis decidua* (Forssk.) Edgew.*Capparis sepiaria* L.*Capparis spinosa* L.*Capparis zeylanica* L.*Cleome brachycarpa* Vahl ex DC.*Cleome chelidonii* L.*Cleome gynandra* L.*Cleome monophylla* L.*Cleome rutidosperma* DC.*Cleome viscosa* L.*Crateva adansonii* DC. subsp. *odora* (Buch.-Ham.) Jacobs*Crateva religiosa* Forst.*Crateva unilocularis* Buch.-Ham.*Maerua oblongifolia* (Forssk.) Rich.

RESEDACEAE

Oligomeris linifolia (Vahl) MacR.Br.

VIOLACEAE

Hybanthus enneaspermus (L.) Muell.*Rinorea heteroclita* (Roxb.) Craib*Viola betonicifolia* Sm.*Viola cinerea* Boiss. var. *stocksii* (Boiss.) Becker*Viola macroceras* Bunge*Viola odorata* L.*Viola tricolor* L.

BIXACEAE

Bixa orellana L.

COCHLOSPERMACEAE

Cochlospermum religiosum (L.) Alston

FLACOURTIACEAE

- Casearia graveolens* Dalzell
Casearia tomentosa Roxb.
Flacourzia indica (Burm.) Merr.
Flacourzia jangomas (Lour.) Raeusch.
Hydnocarpus kurzii (King) Warb.
Xylosma longifolia Clos

PITTOSPORACEAE

- Pittosporum napaulense* (DC.) Rehder & Wilson

POLYGALACEAE

- Polygala abyssinica* R.Br. ex Fresen.
Polygala arvensis Willd.
Polygala chinensis L.
Polygala crotalarioidea Buch.-Ham. ex DC.
Polygala erioptera DC.
Polygala furcata Royle
Polygala linarifolia Willd.
Polygala longifolia Poir.
Polygala persicariifolia DC.
Polygala telephioidea Willd.

FRANKENIACEAE

- Frankenia pulverulenta* L.

CARYOPHYLLACEAE

- Arenaria serpyllifolia* L.
Dianthus chinensis L.
Drymaria diandra Blume
Polycarpaea corymbosa (L.) Lam.
Polycarpon prostratum (Forssk.) Asch. & Schweinf.
Sagina apetala Ard.
Spergula arvensis L.

- Spergula fallax* (Lowe) Krause
Spergularia rubra (L.) Presl & Presl
Stellaria media (L.) Vill.

VACCARIACEAE

- Vaccaria hispanica* (Mill.) Rauschert

PORTULACACEAE

- Portulaca grandiflora* Hook.

- Portulaca oleracea* L.

Portulaca pilosa L.

- Portulaca quadrifida* L.

Portulaca tuberosa Roxb.*Talinum portulacifolium* (Forssk.) Asch. ex Schweinf.

TAMARICACEAE

- Tamarix aphylla* (L.) Karst.
Tamarix dioica Roxb. ex Roth
Tamarix ericoides Rottler & Willd.
Tamarix indica Willd.

ELATINACEAE

- Bergia ammannioides* Roxb. ex Roth
Bergia capensis L.
Bergia polyantha Sond.

HYPERICACEAE

- Hypericum oblongifolium* Choisy

CLUSIACEAE

- Garcinia livingstonei* Anderson
Garcinia xanthochymus Hook. ex Anderson
Mammea americana L.

- Mammea suriga* (Buch.-Ham. ex Roxb.) Kosterm.

DIPTEROCARPACEAE

- Shorea robusta* Roxb. ex Gaertn.

MALVACEAE

- Abelmoschus crinitus* Wall.
Abelmoschus esculentus (L.) Moench
Abelmoschus ficulneus (L.) Wight & Arn. ex Wight
Abelmoschus manihot (L.) Medik.
 subsp. *manihot*
 subsp. *tetraphyllus* var. *pungens* (Roxb.) Hecchr.
Abelmoschus moschatus Medik.
Abutilon hirtum (Lam.) Sweet
Abutilon indicum (L.) Sweet
 var. *guineense* (Schumach.) Feng
 var. *indicum*
Abutilon persicum (Burm.) Merr.

- Abutilon ramosum* (Cav.) Guill. & Perr.

- Abutilon theophrasti* Medik.

- Alcea rosea* L.

- Althaea ludwigii* L.
Gossypium arboreum L.
Gossypium herbaceum L.
Gossypium hirsutum L.
Herissantia crispa (L.) Brizicky
Hibiscus caesius Garcke
Hibiscus cannabinus L.
Hibiscus hirtus L.
Hibiscus lobatus (Murray) Kuntze
Hibiscus micranthus L.
Hibiscus mutabilis L.
Hibiscus panduriformis Burm.
Hibiscus radiatus Cav.
Hibiscus rosa-sinensis L.
Hibiscus sabdariffa L.
Hibiscus schizopetalus (Mast.) Hook.
Hibiscus syriacus L.
Hibiscus trionum L.
Hibiscus vitifolius L.
Kydia calycina Roxb.
Malachra capitata (L.) L.
Malva neglecta Wallr.
Malva parviflora L.
Malva sylvestris L.
Malva verticillata L.
Malvastrum coromandelianum (L.) Garcke
Malvaviscus arboreus Cav.
Pavonia odorata Willd.
Pavonia zeylanica (L.) Cav.
Senra incana Cav.
Sida acuta Burm.
Sida cordata (Burm.) Borss.
Sida cordifolia L.
Sida ovata Forssk.
Sida rhombifolia L.
Sida spinosa L.
Sida tiagii Bhandari
Talipariti tiliaceum (L.) Fryxell
- Thespisia lampas* (Cav.) Dalzell & Gibson
Thespisia populnea (L.) Sol. ex Corrêa
Urena lobata L.
Urena repanda Roxb. ex Sm.
BOMBACACEAE
Adansonia digitata L.
Bombax ceiba L.
Ceiba pentandra (L.) Gaertn.
STERCULIACEAE
Abroma augusta (L.) L.
Brachychiton populneus (Schott & Endl.) R.Br.
Bytneria herbacea Roxb.
Dombeya burgessiae Gerrard ex Harv.
Dombeya spectabilis Bojer
Dombeya wallichii (Lindl.) Schum.
Eriolaena candollei Wall.
Eriolaena hookeriana Wight & Arn.
Eriolaena wallichii DC.
Firmiana colorata (Roxb.) R.Br.
Guazuma ulmifolia Lam.
Helicteres isora L.
Heritiera papilio Bedd.
Kleinhovia hospita L.
Melhania futteyporensis Munro ex Mast.
Melhania hamiltoniana Wall.
Melochia corchorifolia L.
Pentapetes phoenicea L.
Pterospermum acerifolium (L.) Willd.
Pterospermum lanceifolium Roxb.
Pterospermum semisagittatum Buch.-Ham. ex Roxb.
Pterospermum suberifolium (L.) Lam.
Pterygota alata (Roxb.) R.Br.
Sterculia foetida L.
Sterculia urens Roxb.
Sterculia villosa Roxb. ex Sm.
Waltheria indica L.
TILIACEAE
Berrya cordifolia (Willd.) Burret

| | |
|--|--|
| <i>Corchorus aestuans</i> L. | <i>Hiptage benghalensis</i> (L.) Kurz |
| <i>Corchorus capsularis</i> L. | <i>Malpighia coccigera</i> L. |
| <i>Corchorus depressus</i> (L.) Vicary | <i>Malpighia glabra</i> L. |
| <i>Corchorus fascicularis</i> Lam. | <i>Stigmaphyllon emarginatum</i> (Cav.) Juss. |
| <i>Corchorus olitorius</i> L. | ZYGOPHYLLACEAE |
| <i>Corchorus tridens</i> L. | <i>Fagonia arabica</i> L. |
| <i>Corchorus trilocularis</i> L. | <i>Kallstroemia pubescens</i> (Don) Dandy |
| <i>Grewia abutilifolia</i> Vent. ex Juss. | <i>Peganum harmala</i> L. |
| <i>Grewia asiatica</i> L. | var. <i>harmala</i> |
| <i>Grewia damine</i> Gaertn. | var. <i>stenophyllum</i> Boiss. |
| <i>Grewia eriocarpa</i> Juss. | <i>Tribulus terrestris</i> L. |
| <i>Grewia flavescentia</i> Juss. | GERANIACEAE |
| <i>Grewia helicterifolia</i> Wall. ex Don | <i>Geranium mascatense</i> Boiss. |
| <i>Grewia hirsuta</i> Vahl | <i>Geranium nepalense</i> Sweet |
| <i>Grewia nervosa</i> (Lour.) Panigrahi | <i>Monsonia senegalensis</i> Gull. & Perr. |
| <i>Grewia optiva</i> Drumm. ex Burret | TROPAEOLACEAE |
| <i>Grewia orbiculata</i> Rottler | <i>Tropaeolum majus</i> L. |
| <i>Grewia orientalis</i> L. | OXALIDACEAE |
| <i>Grewia rothii</i> DC. | <i>Biophytum reinwardtii</i> (Zucc.) Klotzsch |
| <i>Grewia sapida</i> Roxb. ex DC. | <i>Biophytum sensitivum</i> (L.) DC. |
| <i>Grewia sclerophylla</i> Roxb. ex Don | <i>Oxalis corniculata</i> L. |
| <i>Grewia serrulata</i> DC. | <i>Oxalis corymbosa</i> DC. |
| <i>Grewia tenax</i> (Forssk.) Fiori | <i>Oxalis dehradunensis</i> Raizada |
| <i>Grewia tiliifolia</i> Vahl | <i>Oxalis pes-caprae</i> L. |
| <i>Triumfetta annua</i> L. | AVERRHOACEAE |
| <i>Triumfetta pentandra</i> Rich. | <i>Averrhoa carambola</i> L. |
| <i>Triumfetta pilosa</i> Roth | BALSAMINACEAE |
| <i>Triumfetta rhomboidea</i> Jacq. | <i>Hydrocera triflora</i> (L.) Wight & Arn. |
| <i>Triumfetta rotundifolia</i> Lam. | <i>Impatiens balsamina</i> L. |
| LINACEAE | <i>Impatiens scabrida</i> DC. |
| <i>Linum grandiflorum</i> Desf. | <i>Impatiens serrata</i> Benth. ex Hook. & Thomson |
| <i>Linum myrsinifolium</i> Heyne ex Benth. | RUTACEAE |
| <i>Linum usitatissimum</i> L. | <i>Aegle marmelos</i> (L.) Corrêa |
| <i>Reinwardtia cicanoba</i> (Buch.-Ham. ex Don) Hara | <i>Atalantia monophylla</i> (L.) DC. |
| <i>Reinwardtia indica</i> Dumort. | <i>Atalantia racemosa</i> Wight |
| MALPIGHIACEAE | <i>Citrus aurantiifolia</i> (Christm.) Swingle |
| <i>Aspidopterys wallichii</i> Hook. | <i>Citrus aurantium</i> L. |
| <i>Galphimia gracilis</i> Bartl. | <i>Citrus limon</i> (L.) Osbeck |

| | |
|---|--|
| <i>Citrus maxima</i> (Burm.) Merr. | <i>Swietenia mahagoni</i> (L.) Jacq. |
| <i>Citrus medica</i> L. | <i>Toona ciliata</i> Roem. |
| <i>Citrus sinensis</i> (L.) Osbeck | OLACACEAE |
| <i>Clausena kanpurensis</i> Molino | <i>Olax imbricata</i> Roxb. |
| <i>Clausena lansium</i> (Lour.) Skeels | <i>Olax nana</i> Wall. ex Benth. |
| <i>Glycosmis mauritiana</i> (Lam.) Tanaka | <i>Olax scandens</i> Roxb. |
| <i>Glycosmis pentaphylla</i> (Retz.) DC. | <i>Olax zeylanica</i> L. |
| <i>Limonia acidissima</i> L. | OPILIACEAE |
| <i>Murraya koenigii</i> (L.) Spreng. | <i>Cansjera rheedii</i> Gmel. |
| <i>Murraya paniculata</i> (L.) Jack | CELASTRACEAE |
| <i>Naringi crenulata</i> (Roxb.) Nicolson | <i>Cassine albens</i> (Retz.) Kosterm. |
| <i>Ravenia spectabilis</i> (Lindl.) Engl. | <i>Celastrus paniculatus</i> Willd. |
| <i>Ruta chalepensis</i> L. | <i>Maytenus emarginata</i> (Willd.) Ding Hou |
| <i>Toddalia asiatica</i> (L.) Lam. | <i>Maytenus falconeri</i> (Lawson) Rau |
| <i>Triphasia trifolia</i> (Burm.) Wilson | <i>Maytenus royleanus</i> (Wall. ex Lawson) Rau |
| SIMAROUBACEAE | <i>Maytenus senegalensis</i> (Lam.) Exell |
| <i>Ailanthus altissima</i> (Mill.) Swingle | <i>Microtropis discolor</i> (Wall.) Arn. |
| <i>Ailanthus excelsa</i> Roxb. | HIPPOCRATEACEAE |
| <i>Quassia amara</i> L. | <i>Reissantia arborea</i> (Roxb.) Hara |
| BALANITACEAE | <i>Salacia chinensis</i> L. |
| <i>Balanites roxburghii</i> Planch. | RHAMNACEAE |
| OCHNACEAE | <i>Gouania leptostachya</i> DC. |
| <i>Ochna obtusata</i> DC. | <i>Helinus lanceolatus</i> Brandis |
| <i>Ochna pumila</i> Buch.-Ham. ex Don | <i>Rhamnus triquetra</i> (Wall.) Brandis |
| BURSERACEAE | <i>Ventilago denticulata</i> Willd. |
| <i>Boswellia serrata</i> Roxb. ex ColeR.Br. | <i>Ventilago maderaspatana</i> Gaertn. |
| <i>Commiphora wightii</i> (Arn.) Bhandari | <i>Ziziphus caracutta</i> Roxb. |
| <i>Garuga pinnata</i> Roxb. | <i>Ziziphus jujuba</i> Mill. |
| MELIACEAE | <i>Ziziphus mauritiana</i> Lam. |
| <i>Aglaia elaeagnoidea</i> (Juss.) Benth. | var. <i>fruticosa</i> (Haines) Sebast. & Balakr. |
| <i>Aglaia odorata</i> Lour. | var. <i>mauritiana</i> |
| <i>Aphanamixis polystachya</i> (Wall.) Parker | var. <i>pedunculata</i> Bhandari & Bhansali |
| <i>Azadirachta indica</i> Juss. | <i>Ziziphus nummularia</i> (Burm.) Wight & Arn. |
| <i>Cipadessa baccifera</i> (Roth) Miq. | <i>Ziziphus oenopolia</i> (L.) Mill. |
| <i>Heynea trijuga</i> Roxb. ex Sims | <i>Ziziphus rugosa</i> Lam. |
| <i>Melia azedarach</i> L. | <i>Ziziphus xylopyrus</i> (Retz.) Willd. |
| <i>Soymida febrifuga</i> (Roxb.) Juss. | |

VITACEAE

- Ampelocissus divaricata* (Wall. ex Lawson) Planch.
Ampelocissus indica (L.) Planch.
Ampelocissus latifolia (Roxb.) Planch.
Ampelocissus rugosa (Wall.) Planch.
Ampelocissus tomentosa (Roth) Planch.
Cayratia trifolia (L.) Domin
Cissus adnata Roxb.
Cissus repanda Vahl
Cyphostemma auriculatum (Roxb.) Singh & Shetty
Tetrastigma campylocarpum (Kurz) Planch.
Tetrastigma leucostaphylum (Dennst.) Alston ex Mabb.
Vitis heyneana Roem. & Schult.
Vitis jacquemontii Parker

LEEACEAE

- Leea alata* Edgew.
Leea asiatica (L.) Ridsdale
Leea compactiflora Kurz
Leea indica (Burm.) Merr.
Leea macrophylla Roxb. ex Hornem.

SAPINDACEAE

- Blighia sapida* Koenig
Cardiospermum corindum L.
Cardiospermum halicacabum L.
Cupaniopsis anacardoides (Rich.) Radlk.
Dimocarpus longan Lour.
Dodonaea viscosa Jacq.
Lepisanthes rubiginosa (Roxb.) Leenh.
Lepisanthes senegalensis (Poir.) Leenh.
Litchi chinensis Sonn.
Sapindus emarginatus Vahl
Sapindus mukorossi Gaertn.
Sapindus trifoliatus L.
Schleichera oleosa (Lour.) Merr.

SABIACEAE

- Meliosma simplicifolia* (Roxb.) Walp.
Sabia paniculata Edgew. ex Hook. & Thomson

ANACARDIACEAE

- Anacardium occidentale* L.
Buchanania lanza Spreng.
Lannea coromandelica (Houtt.) Merr.
Mangifera indica L.

- Pistacia khinjuk* Stocks
Rhus chinensis Mill.
Rhus parviflora Roxb.

- Semecarpus anacardium* L.
Spondias pinnata (L.) Kurz

MORINGACEAE

- Moringa concanensis* Nimmo
Moringa oleifera Lam.

FABACEAE

- Abrus precatorius* L.
Abrus pulchellus Wall. ex Thwaites
Aeschynomene americana L.
Aeschynomene aspera L.
Aeschynomene indica L.
Alhagi maurorum Medik.
Alysicarpus bupleurifolius (L.) DC.
Alysicarpus glumaceus (Vahl) DC.
Alysicarpus hamosus Edgew.
Alysicarpus heyneanus Wight & Arn.
var. *heyneanus*
var. *ludens* (Baker) Pramanik & Thoth.
var. *meeboldii* (Schindl.) Pramanik & Thoth.
Alysicarpus longifolius (Rottler ex Spreng.) Wight & Arn.
Alysicarpus monilifer (L.) DC.
Alysicarpus ovalifolius (Schumach.) Léonard
Alysicarpus roxburghianus Thoth. & Pramanik
Alysicarpus scariosus (Rottler ex Spreng.) Graham ex Thwaites
Alysicarpus tetragonolobus Edgew.
Alysicarpus vaginalis (L.) DC.
Arachis hypogaea L.
Astragalus graveolens Buch.-Ham. ex Benth.

- Butea monosperma* (Lam.) Taub.
Butea superba Roxb. ex Willd.
Cajanus albicans (Wight & Arn.) Maesen
Cajanus cajan (L.) Millsp.
Cajanus crassus (Prain & King) Maesen
Cajanus mollis (Benth.) Maesen
Cajanus platycarpus (Benth.) Maesen
Cajanus scarabaeoides (L.) Thouars
Campylotropis stenocarpa (Klotzsch) Schindl.
Canavalia ensiformis (L.) DC.
Canavalia gladiata (Jacq.) DC.
Castanospermum australe Cunn. & Fraser ex Hook.
Cicer arietinum L.
Clitoria annua J.Graham
Clitoria ternatea L.
Codariocalyx gyroides (Roxb. ex Link) Zhu
Codariocalyx motorius (Houtt.) Ohashi
Crotalaria alata Buch.-Ham. ex Don
Crotalaria albida Heyne ex Roth
Crotalaria burhia Buch.-Ham. ex Benth.
Crotalaria calycina Schrank
Crotalaria chinensis L.
Crotalaria ferruginea Graham ex Benth.
Crotalaria hebecarpa (DC.) Rudd
Crotalaria hirsuta Willd.
Crotalaria hirta Willd.
Crotalaria humifusa Graham ex Benth.
Crotalaria juncea L.
Crotalaria laburnifolia L.
Crotalaria linifolia L.
Crotalaria medicaginea Lam.
var. *luxurians* (Benth.) Baker
var. *medicaginea*
var. *neglecta* (Wight & Arn.) Baker
Crotalaria mysorensis Roth
Crotalaria orixensis Willd.
Crotalaria pallida Aiton
- Crotalaria prostrata* Rottler ex Willd.
Crotalaria quinquefolia L.
Crotalaria ramosissima Roxb.
Crotalaria retusa L.
Crotalaria sessiliflora L.
Crotalaria spectabilis Roth
Crotalaria tecta Roth
Crotalaria tetragona Andrews
Crotalaria verrucosa L.
Cullen corylifolium (L.) Medik.
Cullen plicatum (Delile) Stirt.
Cyamopsis tetragonoloba (L.) Taub.
Dalbergia lanceolaria L.
subsp. *lanceolaria*
subsp. *paniculata* (Roxb.) Thoth.
Dalbergia latifolia Roxb.
Dalbergia melanoxyton Guill. & Perr.
Dalbergia sissoo Roxb.
Dalbergia volubilis Roxb.
Dendrolobium triangulare (Retz.) Schindl.
Derris cuneifolia Benth.
Derris kanjilalii Sahni & Naithani
Derris macrocarpa Thoth.
Derris scandens (Roxb.) Benth.
var. *saharanpurensis* (Thoth.) Thoth.
var. *scandens*
Derris trifoliata Lour.
Desmodium benthamii Balakr.
Desmodium concinnum DC.
Desmodium dichotomum (Willd.) DC.
Desmodium elegans DC.
Desmodium gangeticum (L.) DC.
Desmodium heterocarpon (L.) DC.
Desmodium laxiflorum DC.
Desmodium microphyllum (Thunb.) DC.
Desmodium multiflorum DC.
Desmodium neomexicanum Gray

- Desmodium oojeinense* (Roxb.) Ohashi
Desmodium tortuosum (Sw.) DC.
Desmodium triflorum (L.) DC.
Desmodium velutinum (Willd.) DC.
Dolichos trilobus L.
Dumasia villosa DC.
Dunbaria glandulosa (Dalzell) Prain
Eleiotis monophylla (Burm.) DC.
Endosamara racemosa (Roxb.) Geesink
Eriosema chinense Vogel
Erythrina arborescens Roxb.
Erythrina resupinata Roxb.
Erythrina suberosa Roxb.
Erythrina variegata L.
Flemingia chappar Buch.-Ham. ex Benth.
Flemingia involucrata Benth.
Flemingia lineata (L.) Roxb. ex Aiton
Flemingia macrophylla (Willd.) Kuntze ex Merr.
Flemingia paniculata Wall. ex Benth.
Flemingia praecox Clarke ex Prain
Flemingia procumbens Roxb.
Flemingia prostrata Roxb.
Flemingia semialata Roxb. ex Aiton
Flemingia stricta Roxb.
 subsp. *pteropus* (Baker) Khanna & Kumar
 subsp. *stricta*
Flemingia strobilifera (L.) Aiton
 var. *nudiflora* Haines
 var. *strobilifera*
Galactia tenuiflora (Klein ex Willd.) Wight & Arn.
Glycine max (L.) Merr.
Indigofera angulosa Edgew.
Indigofera arrecta Hochst. ex Rich.
Indigofera astragalina DC.
Indigofera atropurpurea Buch.-Ham. ex Hornem.
Indigofera cassioides Rottler ex DC.
Indigofera coerulea Roxb.
- Indigofera colutea* (Burm.) Merr.
Indigofera cordifolia Heyne ex Roth
Indigofera dosua Buch.-Ham. ex Don
Indigofera gangetica Sanjappa
Indigofera glabra L.
Indigofera glandulosa Wendl.
Indigofera hamiltonii Graham ex Duthie & Prain
Indigofera heterantha Wall. ex Brandis
Indigofera hirsuta L.
Indigofera hochstetteri Baker
Indigofera linifolia (L.) Retz.
Indigofera linnaei Ali
Indigofera oblongifolia Forssk.
Indigofera thothathrii Sanjappa
Indigofera tinctoria L.
Indigofera trifoliata L.
Indigofera trita L.
 subsp. *scabra* (Roth) de Kort & Thijssse
 subsp. *trita*
Lablab purpureus (L.) Sweet
Lathyrus aphaca L.
Lathyrus odoratus L.
Lathyrus sativus L.
Lathyrus sphaericus Retz.
Lens culinaris Medik.
Lespedeza juncea (L.) Pers.
 var. *juncea*
 var. *sericea* (Thunb.) Lace & Hemsl.
Macrotyloma uniflorum (Lam.) Verdc.
Medicago lupulina L.
Medicago monantha Trautv. subsp. *incisa* (Benth.) Verloove & Lambinon
Medicago polymorpha L. emend. Shin.
Medicago sativa L.
Melilotus albus Medik. ex Desr.
Melilotus indicus (L.) All.
Millettia extensa (Benth.) Baker

- Millettia peguensis* Ali
Mucuna nigricans (Lour.) Steud.
Mucuna pruriens (L.) DC.
var. *pruriens*
var. *utilis* (Wall. ex Wight) Baker ex Burck
Neonotonia wightii (Wight & Arn.) Lackey
Nogra grahamii (Wall. ex Benth.) Merr.
Ohwia caudata (Thunb.) H.Ohashi
Paracalyx scariosus (Roxb.) Ali
Phaseolus coccineus L.
Phaseolus lunatus L.
Phaseolus vulgaris L.
Phyllodium pulchellum (L.) Desv.
Pisum sativum L.
Pongamia pinnata (L.) Pierre
Pterocarpus marsupium Roxb.
subsp. *acuminatus* (Prain) Thoth.
subsp. *marsupium*
Pterocarpus santalinus L.
Pueraria phaseoloides (Roxb.) Benth.
Pueraria tuberosa (Roxb. ex Willd.) DC.
Rhynchosia bracteata Benth. ex Baker
Rhynchosia capitata (Heyne ex Roth) DC.
Rhynchosia heynei Wight & Arn.
Rhynchosia minima (L.) DC.
Rhynchosia rothii Benth. ex Aitch.
Rhynchosia viscosa DC.
Rothia indica (L.) Druce
Sesbania bispinosa (Jacq.) Wight
Sesbania grandiflora (L.) Poir.
Sesbania sesban (L.) Merr.
Shuteria hirsuta Baker
Shuteria involucrata (Wall.) Wight & Arn.
Shuteria vestita (Wall.) Wight & Arn. var. *vestita* f.
densiflora (Benth.) Ohashi
Smithia ciliata Royle
Smithia conferta Sm.
Smithia sensitiva Aiton
- Sophora secundiflora* (Ortega) Lag. ex DC.
Sophora tomentosa L.
Spatholobus parviflorus (Roxb. ex DC.) Kuntze
Tadehagi triquetrum (L.) Ohashi
Tephrosia candida DC.
Tephrosia pumila (Lam.) Pers.
Tephrosia purpurea (L.) Pers.
Tephrosia strigosa (Dalzell) Santapau & Maheshw.
Tephrosia subtriflora Baker
Tephrosia tinctoria Pers.
Tephrosia villosa (L.) Pers.
Teramnus labialis (L.) Spreng.
Teramnus mollis Benth.
Trifolium alexandrinum L.
Trifolium dubium Sibth.
Trifolium pratense L.
Trifolium repens L.
Trifolium resupinatum L.
Trifolium tomentosum L.
Trigonella balansae Boiss. & Reut. *Trigonella foenum-graecum* L.
Trigonella glabra Thunb. subsp. *uncata* (Boiss. & Noë) Lassen
Trigonella obcordata Wall. ex Benth.
Trigonella occulta Delile
Uraria lagopodioides (L.) Desv.
Uraria lagopus DC.
var. *lagopus*
var. *neglecta* (Prain) Ohashi
Uraria picta (Jacq.) Desv. ex DC.
Uraria prunellifolia Graham ex Baker
Uraria rufescens (DC.) Schindl.
Vicia faba L.
Vicia hirsuta (L.) Gray
Vicia sativa L.
subsp. *nigra* (L.) Ehrh.
subsp. *sativa*
Vicia tetrasperma (L.) Schreb.

- Vigna aconitifolia* (Jacq.) Maréchal
Vigna adenantha (G Mey.) Maréchal et al.
Vigna angularis (Willd.) Ohwi & Ohashi
Vigna mungo (L.) Hepper
Vigna radiata (L.) Wilczek
var. *radiata*
var. *setulosa* (Dalzell) Ohwi & Ohashi
Vigna subramanianus (Babu ex Raizada) Raizada
Vigna trilobata (L.) Verdc.
Vigna umbellata (Thunb.) Ohwi & Ohashi
Vigna unguiculata (L.) Walp. subsp. *cylindrica* (L.) Verdc.
Vigna vexillata (L.) Rich.
Zornia diphylla (L.) Pers.
Zornia gibbosa Span.
CAESALPINIACEAE
Bauhinia acuminata L.
Bauhinia blakeana Dunn
Bauhinia galpinii R.Br.
Bauhinia hookeri Muell.
Bauhinia malabarica Roxb.
Bauhinia purpurea L.
Bauhinia racemosa Lam.
Bauhinia roxburghiana Voigt
Bauhinia semla Wunderlin
Bauhinia tomentosa L.
Bauhinia vahlii Wight & Arn.
Bauhinia variegata L.
Caesalpinia bonduc (L.) Roxb.
Caesalpinia coriaria (Jacq.) Willd.
Caesalpinia crista L.
Caesalpinia cucullata Roxb.
Caesalpinia decapetala (Roth) Alston
Caesalpinia digyna Rottler
Caesalpinia pulcherrima (L.) Sw.
Caesalpinia sappan L.
Cassia fistula L.
Cassia grandis L.
- Cassia javanica* L.
subsp. *javanica*
subsp. *nodososa* (Roxb.) Larsen & Larsen
Cassia renigera Wall. ex Benth.
Cassia roxburghii DC.
Chamaecrista absus (L.) Irwin & Barneby
Chamaecrista kleinii (Wight & Arn.) Singh
Chamaecrista mimosoides (L.) Greene
Chamaecrista nictitans (L.) Moench
Chamaecrista pumila (Lam.) Singh
Chamaecrista wallichiana (DC.) Singh
Delonix elata (L.) Gamble
Delonix regia (Bojer ex Hook.) Raf.
Hardwickia binata Roxb.
Moullava spicata (Dalzell) Nicolson
Parkinsonia aculeata L.
Peltophorum pterocarpum (DC.) Backer ex Heyne
Pterolobium hexapetalum (Roth) Santapau & Wagh
Saraca asoca (Roxb.) de Wilde
Senna aciphylla (Benth.) Randell
Senna alata (L.) Roxb.
Senna artemisioides (Gaud. ex DC.) Randell
Senna auriculata (L.) Roxb.
Senna didymobotrya (Fresen.) Irwin & Barneby
Senna italica Mill.
Senna multijuga (L.C.Richard) Irwin & Barneby
Senna obtusifolia (L.) Irwin & Barneby
Senna occidentalis (L.) Link
Senna pallida (Vahl) Irwin & Barneby
Senna siamea (Lam.) Irwin & Barneby
Senna sophera (L.) Roxb.
var. *purpurea* (Roxb. ex Lindl.) Singh
var. *sophera*
Senna surattensis (Burm.f.) Irwin & Barneby
Senna tora (L.) Roxb.
Senna uniflora (Mill.) Irwin & Barneby
Tamarindus indica L.

MIMOSACEAE

- Acacia auriculiformis* Cunn. ex Benth.
Acacia caesia (L.) Willd.
Acacia catechu (L.) Willd.
Acacia chundra Willd.
Acacia concinna (Willd.) DC.
Acacia eburnea (L.) Willd.
Acacia farnesiana (L.) Willd.
Acacia ferruginea DC.
Acacia gageana Craib
Acacia intsia (L.) Willd.
Acacia jacquemontii Benth.
Acacia lenticularis Buch.-Ham. ex Benth.
Acacia leucophloea (Roxb.) Willd.
Acacia melanoxylon R.Br.
Acacia modesta Wall.
Acacia nilotica (L.) Delile subsp. *indica* (Benth.) Brenan
Acacia pennata (L.) Willd.
Acacia pseudo-eburnea Drum. ex Dunn
Acacia senegal (L.) Willd.
Acacia seyal Delile
Acacia sinuata (Lour.) Merr.
Acacia tomentosa Willd.
Acacia torta (Roxb.) Craib
Adenanthera pavonina L.
Albizia chinensis (Osbeck) Merr.
var. *chinensis*
var. *smithiana* (Roxb.) Sahni et al.
Albizia julibrissin Durazz. var. *mollis* (Wall.) Benth.
Albizia lebbeck (L.) Benth.
Albizia lucidior (Steud.) Nielsen
Albizia odoratissima (L.) Benth.
Albizia procera (Roxb.) Benth.
Albizia thompsonii Brandis
Calliandra brevipes Benth.
Calliandra haematocephala Hassk.
Calliandra inermis (L.) Druce

Calliandra surinamensis Benth.

Dichrostachys cinerea (L.) Wight & Arn.

var. *cinerea*

var. *indica* Brenan & Brummitt

Entada rheedei Spreng.

Indopiptadenia oudhensis (Brandis) Brenan

Leucaena leucocephala (Lam.) de Wit

Mimosa hamata Willd.

Mimosa himalayana Gamble

Mimosa pudica L.

Neptunia oleracea Lour.

Neptunia triquetra (Vahl) Benth.

Parkia biglandulosa Wight & Arn.

Parkia timoriana (DC.) Merr.

Pithecellobium dulce (Roxb.) Benth.

Prosopis cineraria (L.) Druce

Prosopis glandulosa Torr.

Prosopis juliflora (Sw.) DC.

Samanea saman (Jacq.) Merr.

Senegalia intsia (L.) Maslin, Seigler & Ebinger

ROSACEAE

Duchesnea indica (Andr.) Focke

Eriobotrya japonica (Thunb.) Lindl.

Fragaria nubicola Lindl. ex Lacaita

Potentilla supina L.

Prunus amygdalus Batsch

Prunus armeniaca L.

Prunus domestica L. subsp. *insititia* (L.) Schneid.

Prunus persica (L.) Batsch

Pyrus communis L.

Pyrus pashia Buch.-Ham. ex Don

Pyrus pyrifolia (Burm.) Nakai var. *culta* (Makino) Nakai

Rosa chinensis Jacq. var. *semperflorens* (Curtis) Koehne

Rosa clinophylla Thory

var. *clinophylla*

var. *glabra* (Lindl. ex Prain) Ghora & Panigrahi

| | |
|--|--|
| <i>Rosa eglanteria</i> L. | <i>Gyrocarpus americanus</i> Jacq. |
| <i>Rosa gigantea</i> Collett ex Crép. | <i>Terminalia alata</i> B.Heyne ex Roth |
| <i>Rosa lyelii</i> Lindl. | <i>Terminalia arjuna</i> (Roxb. ex DC.) Wight & Arn. |
| <i>Rosa macrophylla</i> Lindl. | <i>Terminalia bellirica</i> (Gaertn.) Roxb. |
| <i>Rosa multiflora</i> Thunb. | <i>Terminalia catappa</i> L. |
| <i>Rosa sinica</i> Murray | <i>Terminalia chebula</i> Retz. |
| <i>Rubus ellipticus</i> Sm. | <i>Terminalia citrina</i> Roxb. ex Flem. |
| <i>Rubus niveus</i> Thunb. | <i>Terminalia muelleri</i> Benth. |
| VAHLIACEAE | <i>Terminalia oliveri</i> Brandis |
| <i>Vahlia digyna</i> (Retz.) Kuntze | MYRTACEAE |
| CRASSULACEAE | <i>Callistemon citrinus</i> (Curtis) Skeels |
| <i>Bryophyllum pinnatum</i> (Lam.) Oken | <i>Callistemon lanceolatus</i> (Sm.) Sweet |
| <i>Kalanchoe flammea</i> Stapf | <i>Eucalyptus camaldulensis</i> Dehnh. |
| <i>Kalanchoe integra</i> (Medik.) Kuntze | <i>Eucalyptus citriodora</i> Hook. |
| <i>Kalanchoe lanceolata</i> (Forssk.) Pers. | <i>Eucalyptus paniculata</i> Sm. |
| <i>Kalanchoe verticillata</i> Elliot | <i>Eucalyptus robusta</i> Sm. |
| <i>Rhodiola sinuata</i> (Royle ex Edgew.) Fu | <i>Eucalyptus saligna</i> Sm. |
| <i>Rhodiola wallichiana</i> (Hook.) Fu | <i>Eucalyptus tereticornis</i> Sm. |
| <i>Sedum japonicum</i> Sieb. ex Miq. | <i>Psidium guajava</i> L. |
| DROSERACEAE | <i>Syzygium cumini</i> (L.) Skeels |
| <i>Drosera burmanni</i> Vahl | <i>Syzygium jambos</i> (L.) Alston |
| RHIZOPHORACEAE | <i>Syzygium nervosum</i> Cunn. ex DC. |
| <i>Carallia brachiata</i> (Lour.) Merr. | <i>Syzygium salicifolium</i> (Wight) Graham |
| COMBRETACEAE | LECYTHIDACEAE |
| <i>Anogeissus acuminata</i> (Roxb. ex DC.) Guill. & Perr. | <i>Barringtonia acutangula</i> (L.) Gaertn. |
| <i>Anogeissus latifolia</i> (Roxb. ex DC.) Wall. ex Guill. & Perr. | <i>Careya arborea</i> Roxb. |
| <i>Anogeissus pendula</i> Edgew. | <i>Careya herbacea</i> Roxb. |
| <i>Anogeissus sericea</i> Brandis | <i>Couroupita guianensis</i> Aubl. |
| <i>Combretum albidum</i> Don | MELASTOMATACEAE |
| <i>Combretum album</i> Pers. | <i>Heterocentron subtriplinervium</i> (Link & Otto) Braun & Bouché |
| <i>Combretum coccineum</i> Lam. | <i>Memecylon edule</i> Roxb. |
| <i>Combretum comosum</i> Don | <i>Osbeckia chinensis</i> L. |
| <i>Combretum grandiflorum</i> Don | <i>Sonerila erecta</i> Jack |
| <i>Combretum indicum</i> (L.) DeFilipps | LYTHRACEAE |
| <i>Combretum latifolium</i> Blume | <i>Ammannia auriculata</i> Willd. |
| <i>Combretum nanum</i> Buch.-Ham. ex Don | <i>Ammannia baccifera</i> L. |
| <i>Getonia floribunda</i> Roxb. | <i>Ammannia multiflora</i> Roxb. |

| | |
|---|--|
| <i>Lagerstroemia indica</i> L. | PASSIFLORACEAE |
| <i>Lagerstroemia parviflora</i> Roxb. | <i>Passiflora caerulea</i> L. |
| <i>Lagerstroemia speciosa</i> (L.) Pers. | <i>Passiflora edulis</i> Sims |
| <i>Lagerstroemia thorelii</i> Gagnep. | <i>Passiflora foetida</i> L. |
| <i>Lagerstroemia turbinata</i> Koehne | <i>Passiflora suberosa</i> L. |
| <i>Lagerstroemia villosa</i> Wall. ex Kurz | CARICACEAE |
| <i>Lawsonia inermis</i> L. | <i>Carica papaya</i> L. |
| <i>Nesaea lanceolata</i> (Heyne ex Clarke) Koehne | CUCURBITACEAE |
| <i>Rotala densiflora</i> (Roth ex Roem. & Schult.) Koehne | <i>Actinostemma tenerum</i> Griff. |
| <i>Rotala indica</i> (Willd.) Koehne | <i>Benincasa hispida</i> (Thunb.) Cogn. |
| <i>Rotala mexicana</i> Cham. & Schltdl. | <i>Blastania fimbriatipula</i> (Fenzl) Kotschy & Peyr. |
| <i>Rotala occultiflora</i> Koehne | <i>Blastania garcinii</i> (Burm.) Cogn. |
| <i>Rotala pentandra</i> (Roxb.) Blatt. & Hallb. | <i>Cayaponia laciniosa</i> (L.) Jeffrey |
| <i>Rotala rosea</i> (Poir.) Cook | <i>Citrullus colocynthis</i> (L.) Schrad. |
| <i>Rotala rotundifolia</i> (Roxb.) Koehne | <i>Citrullus lanatus</i> (Thunb.) Matsum. & Nakai |
| <i>Rotala serpyllifolia</i> (Roth) Bremek. | var. <i>fistulosus</i> (Stocks) Chakrav. |
| <i>Woodfordia fruticosa</i> (L.) Kurz | var. <i>lanatus</i> |
| PUNICACEAE | <i>Coccinia grandis</i> (L.) Voigt |
| <i>Punica granatum</i> L. | <i>Corallocarpus epigaeus</i> (Rottler) Hook. |
| ONAGRACEAE | <i>Cucumis callosus</i> (Rottler) Cogn. |
| <i>Clarkia amoena</i> (Lehm.) Nelson & MacR.Br. | <i>Cucumis melo</i> L. |
| subsp. <i>amoena</i> | var. <i>agrestis</i> Naudin |
| subsp. <i>whitneyi</i> (Gray) Lewis & Lewis | var. <i>melo</i> |
| <i>Clarkia unguiculata</i> Lindl. | var. <i>utilissimus</i> (Roxb.) Duthie & Fuller |
| <i>Epilobium hirsutum</i> L. | <i>Cucumis sativus</i> L. |
| <i>Ludwigia adscendens</i> (L.) Hara | <i>Cucurbita maxima</i> Duch. ex Lam. |
| <i>Ludwigia hyssopifolia</i> (Don) Exell | <i>Cucurbita moschata</i> (Duch. ex Lam.) Duch. ex Poir. |
| <i>Ludwigia octovalvis</i> (Jacq.) Raven | <i>Cucurbita pepo</i> L. |
| <i>Ludwigia perennis</i> L. | <i>Diplocyclos palmatus</i> (L.) Jeffrey |
| <i>Ludwigia prostrata</i> Roxb. | <i>Gymnopetalum chinense</i> (Lour.) Merr. |
| <i>Oenothera rosea</i> L'Hér. ex Aiton | <i>Lagenaria siceraria</i> (Molina) Standl. |
| TRAPACEAE | <i>Luffa acutangula</i> (L.) Roxb. |
| <i>Trapa natans</i> L. | <i>Luffa cylindrica</i> (L.) Roem. |
| var. <i>bispinosa</i> (Roxb.) Makino | <i>Luffa echinata</i> Roxb. |
| var. <i>natans</i> | <i>Luffa graveolens</i> Roxb. |
| TURNERACEAE | <i>Luffa hermaphrodita</i> Singh & Bhattach. |
| <i>Turnera ulmifolia</i> L. | <i>Melothria perpusilla</i> (Blume) Cogn. |

| | |
|--|---|
| <i>Momordica balsamina</i> L. | MOLLUGINACEAE |
| <i>Momordica charantia</i> L. | <i>Glinus lotoides</i> L. |
| <i>Momordica cochinchinensis</i> (Lour.) Spreng. | <i>Glinus oppositifolius</i> (L.) DC. |
| <i>Momordica dioica</i> Roxb. ex Willd. | <i>Mollugo cerviana</i> (L.) Ser. |
| <i>Mukia maderaspatana</i> (L.) Roem. | <i>Mollugo nudicaulis</i> Lam. |
| <i>Neoalsomitra clavigera</i> (Wall.) Hutch. | <i>Mollugo pentaphylla</i> L. |
| <i>Solena aplexicaulis</i> (Lam.) Gandhi | APIACEAE |
| <i>Thladiantha cordifolia</i> (Blume) Cogn. | <i>Ammi majus</i> L. |
| <i>Trichosanthes cordata</i> Roxb. | <i>Anethum graveolens</i> L. |
| <i>Trichosanthes cucumerina</i> L. | <i>Apium graveolens</i> L. |
| <i>Trichosanthes dioica</i> Roxb. | <i>Bunium persicum</i> (Boiss.) Fedtsch. |
| <i>Trichosanthes pilosa</i> Lour. | <i>Bupleurum hamiltonii</i> Balakr. |
| <i>Trichosanthes tricuspidata</i> Lour. | <i>Bupleurum ramosissimum</i> Wight & Arn. |
| <i>Trichosanthes wallichiana</i> (Ser.) Wight | <i>Centella asiatica</i> (L.) Urban |
| <i>Zehneria japonica</i> (Thunb.) Liu | <i>Cnidium monnieri</i> (L.) Spreng. |
| <i>Zehneria scabra</i> Sond. | <i>Coriandrum sativum</i> L. |
| BEGONIACEAE | <i>Cuminum cyminum</i> L. |
| <i>Begonia dioica</i> Buch.-Ham. ex Don | <i>Daucus carota</i> L. |
| <i>Begonia grandis</i> Dryand. | <i>Eryngium foetidum</i> L. |
| <i>Begonia hydrocotylifolia</i> Otto ex Hook. | <i>Foeniculum vulgare</i> Mill. |
| <i>Begonia manicata</i> Cels ex Vis. | <i>Hydrocotyle javanica</i> Thunb. |
| <i>Begonia picta</i> Sm. | <i>Hydrocotyle sibthorpioides</i> Lam. |
| CACTACEAE | <i>Oenanthe javanica</i> (Blume) DC. |
| <i>Hylocereus trigonus</i> (Haw.) Saff. | <i>Peucedanum dhana</i> Clarke |
| <i>Nopalea cochenillifera</i> (L.) Salm-Dyck | <i>Pimpinella heyneana</i> (DC.) Benth. |
| <i>Opuntia elatior</i> Mill. | <i>Psammogeton canescens</i> (DC.) Vatke |
| <i>Opuntia ficus-indica</i> (L.) Mill. | <i>Seseli diffusum</i> (Roxb. ex Sm.) Santapau & Wagh |
| <i>Opuntia stricta</i> (Haw.) Haw. | <i>Sium latijugum</i> Clarke |
| AIZOACEAE | <i>Trachyspermum ammi</i> (L.) Sprague |
| <i>Gisekia pharnaceoides</i> L. | <i>Trachyspermum anethifolium</i> (Don) Wolff |
| <i>Sesuvium sesuviooides</i> (Fenzl) Verdc. | <i>Vicatia coniifolia</i> DC. |
| <i>Trianthema portulacastrum</i> L. | ARALIACEAE |
| <i>Trianthema triquetra</i> Rottler ex Willd. | <i>Heteropanax fragrans</i> (Roxb. ex DC.) Seem. |
| <i>Zaleya decandra</i> (L.) Burm. | <i>Schefflera venulosa</i> (Wight & Arn.) Harms |
| <i>Zaleya govindia</i> (Buch.-Ham. ex Don) Nair | ALANGIACEAE |
| <i>Zaleya pentandra</i> (L.) Jeffrey | <i>Alangium salviifolium</i> (L.) Wangerin |

RUBIACEAE

Argostemma sarmentosum Wall.*Catesbaea spinosa* L.*Catunaregam spinosa* (Thunb.) Tirveng.*Cephalanthus tetrandra* (Roxb.) Ridsdale & Bakh.*Ceriscoides turgida* (Roxb.) Tirveng.*Coffea benghalensis* Heyne ex Schult.*Dentella repens* (L.) Forst. & Forst.var. *repens*var. *serpyllifolia* (Wall. ex Craib) Verdc.*Galium aparine* L.*Gardenia gummifera* L.*Gardenia jasminoides* Ellis*Gardenia latifolia* Aiton*Gardenia resinifera* Roth*Haldina cordifolia* (Roxb.) Ridsdale*Hamelia patens* Jacq.*Hedyotis affinis* Roem. & Schult.*Hedyotis aspera* Heyne ex Roth*Hedyotis attenuata* Willd.*Hedyotis corymbosa* (L.) Lam.var. *corymbosa*var. *linearis* (DC.) Deb & Dutta*Hedyotis diffusa* Willd.*Hedyotis gracilis* Wall.*Hedyotis herbacea* L.*Hedyotis ovatifolia* Cav.*Hedyotis pinifolia* Wall. ex Don*Hedyotis puberula* (GDon) R.Br. ex Arn.*Hedyotis pumila* L.*Hedyotis racemosa* Lam.*Hedyotis verticillata* (L.) Lam.*Hymenodictyon orixense* (Roxb.) Mabb.*Hyptianthera stricta* Wight & Arn.*Ixora coccinea* L.*Ixora pavetta* Andr.*Ixora undulata* Roxb.*Knoxia roxburghii* (Spreng.) Rau*Knoxia sumatrensis* (Retz.) DC.*Leptodermis lanceolata* Wall.*Meyna laxiflora* Robyns*Meyna spinosa* Roxb. ex Link*Mitragyna parvifolia* (Roxb.) Korth.*Morinda citrifolia* L.*Morinda pubescens* Sm.*Mussaenda frondosa* L.*Mussaenda glabrata* (Hook.) Hutch. ex Gamble*Neanotis calycina* (Hook.) Lewis*Neolamarckia cadamba* (Roxb.) Bosser*Ophiorrhiza fasciculata* Don*Pavetta crassicaulis* Bremek.*Pavetta tomentosa* Roxb. ex Sm.*Pentas lanceolata* (Forssk.) Deflers*Rubia cordifolia* L.*Spermacoce articulatis* L.*Spermacoce pusilla* Wall.*Spermadictyon suaveolens* Roxb.*Tamilnadia uliginosa* (Retz.) Tirveng. & Sastre*Wendlandia heynei* (Roem. & Schult.) Santapau & Merch.*Wendlandia tinctoria* (Roxb.) DC.

ASTERACEAE

Acanthospermum hispidum DC.*Acilepis divergens* (Roxb.) Rob. & Skvarla*Acilepis squarrosa* Don*Acmella calva* (DC.) Jansen*Acmella oleracea* (L.) Jansen*Acmella paniculata* (Wall. ex DC.) Jansen*Adenostemma lavenia* (L.) Kuntzevar. *angustifolium* (Arn.) Uniyalvar. *lavenia**Ageratum conyzoides* L.*Ageratum houstonianum* Mill.*Amberboa ramosa* (Roxb.) Jafri

- Ambrosia artemisiifolia* L.
Artemisia capillaris Thunb.
Artemisia caruifolia Buch.-Ham. ex Roxb.
Artemisia indica Willd.
Artemisia japonica Thunb.
Artemisia nilagirica (Clarke) Pamp.
Artemisia stricta Edgew.
Athroisma laciniatum DC.
Ayapana triplinervis (Vahl) King & Rob.
Baccharoides anthelmintica (L.) Moench
Bidens bipinnata L.
Bidens biternata (Lour.) Merr. & Sherff
Bidens pilosa L.
Blainvillea acmella (L.) Philipson
Blumea aromatica DC.
Blumea axillaris (Lam.) DC.
Blumea bifoliata (L.) DC.
Blumea clarkei Hook.
Blumea eriantha DC.
Blumea fistulosa (Roxb.) Kurz
Blumea hieracifolia (Don) DC.
var. *hamiltonii* (DC.) Clarke
var. *hieracifolia*
Blumea lacera (Burm.) DC.
Blumea laciniata (Roxb.) DC.
Blumea lanceolaria (Roxb.) Druce
Blumea membranacea DC.
var. *jacquemontii* (Hook.) Randeria
var. *membranacea*
Blumea obliqua (L.) Druce
Blumea oxyodonta DC.
Blumea sonbhadrensis Narain, Lata & Singh
Blumeopsis flava (DC.) Gagnep.
Caesulia axillaris Roxb.
Calendula officinalis L.
Carthamus oxyacantha Bieb.
Carthamus tinctorius L.
- Catamixis baccharoides* Thomson
Centipeda minima (L.) R.Br. & Aschers.
Chromolaena odorata (L.) King & Rob.
Chrysanthellum americanum (L.) Vatke
Chrysanthemum indicum L.
Cichorium intybus L.
Cirsium arvense (L.) Scop.
Cirsium wallichii DC.
Cissampelopsis corifolia Jeffrey & Chen
Conyza angustifolia Roxb.
Conyza japonica (Thunb.) Less. ex DC.
Conyza leucantha (Don) Ludlow & Raven
Conyza rufa Wall. ex DC.
Cosmos caudatus Kunth
Cosmos sulphureus Cav.
Cotula anthemoides L.
Cotula hemisphaerica (Roxb.) Wall. ex Benth. & Hook.
Cyanthillium cinereum (L.) Rob.
var. *cinereum*
var. *linifolium* (Blume) Karthik & Moorthy
Cyanthillium patulum (Aiton) Rob.
Cyathocline purpurea (Buch.-Ham. ex Don) Kuntze
Dichrocephala integrifolia (L.) Kuntze
Dicoma tomentosa Cass.
Echinops echinatus Roxb.
Eclipta prostrata (L.) L.
var. *dixitii* Kumar & Khanna
var. *prostrata*
Elephantopus scaber L.
Emilia sonchifolia (L.) DC.
Enhydra fluctuans Lour.
Erigeron aegyptiacus L.
Erigeron bonariensis L.
Erigeron canadensis L.
Erigeron sublyratus Roxb. ex DC.
Erigeron trilobus (Decne.) Boiss.

- Filago hurdwarica* (Wall. ex DC.) Wagenitz
Flaveria australasica Hook.
Flaveria trinervia (Spreng.) Mohr
Galinsoga parviflora Cav.
Glossocardia bidens (Retz.) Veldkamp
Glossocardia bosvallia (L.) DC.
Gnaphalium flaccidum Kurz ex Clarke
Gnaphalium pensylvanicum Willd.
Gnaphalium polycaulon Pers.
Gnaphalium purpureum L.
Gnaphalium thomsonii Hook.
Gnomophonium pulvinatum (Delile) Greuter
Goniocaulon indicum (Klein ex Willd.) Benth. ex Clarke
Grangea maderaspatana (L.) Poir.
Guizotia abyssinica (L.) Cass.
Helianthus annuus L.
Hemistepta lyrata Bunge ex Fischer & Mey.
Himalaiella heteromalla (Don) Raab-Straube
Ifloga spicata (Forssk.) Sch.-Bip.
Inula cappa (Buch.-Ham. ex Don) DC.
Inula nervosa Wall. ex DC.
Inula obtusifolia Kerner
Ixeris polyccephala Cass.
Lactuca dissecta Don
Lactuca dolichophylla Kitam.
Lactuca sativa L.
Lagascea mollis Cav.
Laggera aurita Sch.Bip. ex Schweinf.
Laphangium affine (Don) Tzvelev
Laphangium luteoalbum (L.) Tzvelev
Launaea acaulis (Roxb.) Babcock ex Kerr.
Launaea aspleniifolia (Willd.) Hook.
Launaea intybacea (Jacq.) Beauverd
Launaea procumbens (Roxb.) Ramayya & Rajagopal
Matricaria chamomilla L.
Mikania micrantha Kunth
Myriactis wallichii Less.
- Parthenium hysterophorus* L.
Pantanema cernuum (Dalzell & Gibson) Ling
Pantanema indicum (L.) Ling
Pantanema vestitum (Wall. ex DC.) Ling
Pluchea lanceolata (DC.) Clarke
Pluchea tomentosa DC.
Pseudelephantopus spicatus (Juss. ex Aubl.) Rohr ex Baker
Pulicaria angustifolia DC.
Pulicaria foliolosa DC.
Pulicaria undulata (L.) Mey.
Reichardia tingitana (L.) Roth
Sclerocarpus africanus Jacq. ex Murray
Senecio nudicaulis Buch.-Ham. ex Don
Senecio vestitus Bergius
Sigesbeckia orientalis L.
Solidago canadensis L.
Soliva anthemifolia (Juss.) Sweet
Sonchus asper (L.) Hill
Sonchus brachyotus DC.
Sonchus oleraceus L.
Sonchus wightianus DC.
Sphaeranthus indicus L.
Sphaeranthus senegalensis DC.
Sphagneticola calendulacea (L.) Pruski
Synedrella nodiflora (L.) Gaertn.
Tagetes erecta L.
Tagetes minuta L.
Tagetes patula L.
Thymophylla tenuifolia (Cass.) Rydb.
Tithonia rotundifolia (Mill.) Blake
Tricholepis stictophyllum Clarke
Tridax procumbens L.
Verbesina encelioides (Cav.) Benth. & Hook. ex Gray
Vernonia pyramidale (Don) Mitra
Vernonia revoluta Buch.-Ham.
Wedelia montana (Blume) Boerl.
Xanthium strumarium L.

- Youngia japonica* (L.) DC.
- Zinnia angustifolia* Kunth
- Zinnia elegans* Jacq.
- CAMPANULACEAE**
- Campanula dimorphantha* Schweinf.
- Campanula pallida* Wall.
- Lobelia alsinoides* Lam.
- Lobelia heyneana* Schult.
- Wahlenbergia hirsuta* (Edgew.) Tuyt
- Wahlenbergia marginata* (Thunb.) DC.
- SPHENOCLEACEAE**
- Sphenoclea zeylanica* Gaertn.
- PLUMBAGINACEAE**
- Dyerophytum indicum* (Gibbs ex Wight) Kuntze
- Plumbago zeylanica* L.
- PRIMULACEAE**
- Anagallis arvensis* L.
- Anagallis pumila* Sw.
- Lysimachia candida* Lindl. subsp. *ovata* (Buch.-Ham. ex Hook.) Kunth
- Primula umbellata* (Lour.) Bentvelzen
- Samolus valerandi* L.
- MYRSINACEAE**
- Ardisia solanacea* Roxb.
- Embelia basaal* (Roem. & Schult.) DC.
- Embelia ribes* Burm.
- Embelia tsjeriam-cottam* (Roem. & Schult.) DC.
- Maesa indica* (Roxb.) DC.
- THEOPHRASTACEAE**
- Jacquinia ruscifolia* Jacq.
- SAPOTACEAE**
- Diploknema butyracea* (Roxb.) Lam
- Madhuca longifolia* (Koenig ex L.) MacR.Br.
- var. *latifolia* (Roxb.) Chevalier
- var. *longifolia*
- Manilkara hexandra* (Roxb.) Dubard
- Manilkara zapota* (L.) Royen
- Mimusops elengi* L.
- EBENACEAE**
- Diospyros chloroxylon* Roxb.
- Diospyros cordifolia* Roxb.
- Diospyros discolor* Willd.
- Diospyros exsculpta* Buch.-Ham.
- Diospyros holeana* Gupta & Kanjilal
- Diospyros kaki* Thunb. ex L.
- Diospyros kanjilali* Duthie
- Diospyros melanoxylon* Roxb.
- var. *melanoxylon*
- var. *tupru* (Buch.-Ham.) Singh
- Diospyros montana* Roxb.
- Diospyros peregrina* (Gaertn.) Gurke
- Diospyros sylvatica* Roxb.
- SYMPLOCACEAE**
- Symplocos racemosa* Roxb.
- OLEACEAE**
- Chionanthus ramiflorus* Roxb.
- Jasminum angustifolium* Willd.
- Jasminum arborescens* Roxb.
- Jasminum auriculatum* Vahl
- Jasminum brevipetiolatum* Duthie ex Brandis
- Jasminum cuspidatum* Rottler & Willd.
- Jasminum flexile* Vahl
- Jasminum grandiflorum* L.
- Jasminum humile* L.
- Jasminum multiflorum* (Burm.) Andr.
- Jasminum officinale* L.
- Jasminum sambac* (L.) Aiton
- Nyctanthes arbor-tristis* L.
- Olea ferruginea* Wall. ex Aitch.
- Olea paniculata* R.Br.
- Schrebera swietenioides* Roxb.
- SALVADORACEAE**
- Salvadora oleoides* Decne.
- Salvadora persica* L.
- APOCYNACEAE**
- Aganosma dichotoma* (Roth) Schum.

- Allamanda cathartica* L.
Alstonia macrophylla Wall. ex Don
Alstonia scholaris (L.) R.Br.
Carissa carandas L.
Carissa congesta Wight
Carissa grandiflora DC.
Carissa opaca Stapf ex Haines
Carissa paucinervia DC.
Carissa spinarum L.
Catharanthus pusillus (Murr.) Don
Catharanthus roseus (L.) Don
Chonemorpha verrucosa (Blume) Middleton
Holarrhena pubescens (Buch.-Ham.) Wall. ex Don
Ichnocarpus frutescens (L.) Aiton
Nerium oleander L.
Plumeria alba L.
Plumeria rubra L.
Rauvolfia serpentina (L.) Benth. ex Kurz
Rauvolfia tetraphylla L.
Tabernaemontana divaricata (L.) R.Br. ex Roem. & Schult.
Thevetia peruviana (Pers.) K.Schum.
Vallaris solanacea (Roth) Kuntze
Wrightia arborea (Dennst.) Mabb.
Wrightia tinctoria R.Br. subsp. *rothii* (Don) Ngan
ASCLEPIADACEAE
Asclepias curassavica L.
Brachystelma laevigatum (Wight) Hook.
Brachystelma pauciflorum Duthie
Calotropis acia Buch.-Ham.
Calotropis gigantea (L.) R.Br.
Calotropis procera (Aiton) R.Br.
Caralluma adscendens (Roxb.) Haw.
Ceropogia bulbosa Roxb.
var. *bulbosa*
var. *lushii* (Graham) Hook.
Ceropogia hirsuta Wight & Arn.
Ceropogia longifolia Wall.
Ceropogia macrantha Wight
Cryptolepis dubia (Burm.) Almeida
Cryptolepis sinensis (Lour.) Merr.
Cryptostegia grandiflora R.Br.
Dregea volubilis (L.) Benth. ex Hook.
Gomphocarpus fruticosus R.Br.
Gongronema nepalense (Wall.) Decne.
Gymnema decaisneanum Wight
Gymnema montanum Hook.
Gymnema sylvestre (Retz.) R.Br. ex Schult.
Hemidesmus indicus (L.) R.Br. in Aiton var. *indicus*
var. *pubescens* (Wight & Arn.) Hook.
Heterostemma alatum Wight
Holostemma ada-kodien Schult.
Leptadenia pyrotechnica (Forssk.) Decne.
Leptadenia reticulata (Retz.) Wight & Arn.
Marsdenia lucida Edgew. ex Madden
Marsdenia roylei Wight
Marsdenia tenacissima (Roxb.) Moon
Orthanthera viminea Wight & Arn.
Oxystelma esculentum (L.) Sm.
Pentasachme wallichii Wight
Pentatropis capensis (L.) Bullock
Pentatropis nivalis (Gmelin) Field & Wood
Pergularia daemia (Forssk.) Chiov.
Pergularia hamiltonii (Wight) Dietr.
Periploca aphylla Decne.
Stapelia gigantea R.Br.
Telosma cordata (Burm.) Merr.
Telosma pallida (Roxb.) Craib
Tylophora fasciculata Buch.-Ham. ex Wight
Tylophora himalaica Hook.
Tylophora indica (Burm.) Merr.
Tylophora rotundifolia Buch.-Ham. ex Wight
Vincetoxicum nanum (Buch.-Ham. ex Wight) Liede

LOGANIACEAE

Mitreola petiolata (Gmelin) Torr. & Gray

Strychnos nux-vomica L.

Strychnos potatorum L.

BUDDLEJACEAE

Buddleja asiatica Lour.

Buddleja lindleyana Fortune

Buddleja madagascariensis Lam.

Buddleja parviflora Kunth

GENTIANACEAE

Canscora alata (Roth) Wall.

Canscora diffusa (Vahl) R.Br. ex Roem. & Schult.

Centaurium pulchellum (Sw.) Druce

Enicostema axillare (Lam.) Raynal

Exacum pedunculatum L.

Exacum tetragonum Roxb.

Gentiana decempida Buch.-Ham. ex Don

Hoppea dichotoma Heyne ex Willd.

Swertia angustifolia Buch.-Ham. ex Don

var. *angustifolia*

var. *florida* (Don) Burkill

var. *pulchella* Burkill

Swertia paniculata Wall.

MENYANTHACEAE

Nymphoides hydrophylla (Lour.) Kuntze

Nymphoides indica (L.) Kuntze

POLEMONIACEAE

Phlox drummondii Hook.

HYDROPHYLLACEAE

Hydrolea zeylanica (L.) Vahl

Phacelia campanularia Gray

Phacelia pinnatifida Griseb. ex Wedd.

Phacelia tanacetifolia Benth.

Phacelia whitlavia Gray

Wigandia urens (Ruiz & Pav.) Kunth

BORAGINACEAE

Arnebia hispidissima DC.

Borago officinalis L.

Bothriospermum tenellum (Hornem.) Fischer &

Meyer

Coldenia procumbens L.

Cordia dichotoma Forster

Cordia grandis Roxb.

Cordia macleodii (Griff.) Hook. & Thomson

Cordia sebestena L.

Cordia sinensis Lam.

Cordia vestita (DC.) Hook. & Thomson

Cynoglossum lanceolatum Forssk.

Cynoglossum meeboldii Brand

Cynoglossum wallichii Don var. *glochidiatum* (Wall.) Kazmi

Cynoglossum zeylanicum (Vahl ex Hornem.) Brand

Echium plantagineum L.

Echium vulgare L.

Ehretia acuminata R.Br.

Ehretia laevis Roxb.

Ehretia microphylla Lam.

Heliotropium arborescens L.

Heliotropium ellipticum Ledeb.

Heliotropium indicum L.

Heliotropium marifolium Koenig ex Retz.

subsp. *marifolium*

subsp. *wallichii* (Clarke) Kazmi

Heliotropium ovalifolium Forssk.

Heliotropium strigosum Willd.

Heliotropium supinum L.

Heliotropium zeylanicum (Burm.) Lam.

Rotula aquatica Lour.

Trichodesma indicum (L.) R.Br. ex Lehm.

Trichodesma sedgwickianum Banerjee

Trichodesma zeylanicum (Burm.) R.Br.

CONVOLVULACEAE

Aniseia martinicensis (Jacq.) Choisy

Argyreia bella (Clarke) Raizada

Argyreia involucrata Clarke

Argyreia nasirii Austin

- Argyreia nervosa* (Burm.) Bojer *Merremia aegyptia* (L.) Urb.
Argyreia populifolia Choisy *Merremia dissecta* (Jacq.) Hall.
Argyreia sericea Dalzell & Gibson *Merremia emarginata* (Burm.) Hall.
Argyreia strigosa (Roth) Roberty *Merremia hederacea* (Burm.) Hall.
Calystegia hederacea Wall. ex Roxb. *Merremia peltata* (L.) Merr.
Convolvulus arvensis L. *Merremia quinata* (R.Br.) Ooststr.
Convolvulus prostratus Forssk. *Merremia tridentata* (L.) Hall.
Cressa cretica L. *Merremia tuberosa* (L.) Rendle
Erycibe paniculata Roxb. *Merremia umbellata* (L.) Hall.
Erycibe wightiana Graham *Merremia vitifolia* (Burm.) Hall.
Evolvulus alsinoides (L.) L. *Operculina turpethum* (L.) Manso
Evolvulus nummularius (L.) L. *Porana paniculata* Roxb.
Ipomoea alba L. *Rivea hypocarteriformis* (Desr.) Choisy
Ipomoea aquatica Forssk. *Rivea ornata* Choisy
Ipomoea barlerioides (Choisy) Benth. ex Clarke CUSCUTACEAE
Ipomoea batatas (L.) Lam. *Cuscuta australis* R.Br.
Ipomoea biflora (L.) Pers. *Cuscuta capitata* Roxb.
Ipomoea cairica (L.) Sweet *Cuscuta chinensis* Lam.
Ipomoea carnea Jacq. *Cuscuta reflexa* Roxb.
Ipomoea coptica (L.) Roth ex Roem. & Schult. *Cuscuta santapaui* Banerji & Das
Ipomoea dichroa (Roem. & Schult.) Choisy SOLANACEAE
Ipomoea eriocarpa R.Br. *Capsicum annuum* L.
Ipomoea hederifolia L. *Cestrum diurnum* L.
Ipomoea indica (Burm.) Merr. *Cestrum nocturnum* L.
Ipomoea marginata (Desr.) Verdc. *Datura innoxia* Mill.
Ipomoea nil (L.) Roth *Datura metel* L.
Ipomoea obscura (L.) Ker-Gawl. *Datura stramonium* L.
Ipomoea pes-caprae (L.) R.Br. *Hyoscyamus niger* L.
Ipomoea pes-tigridis L. *Lycopersicon esculentum* Mill.
var. *capitellata* Clarke *Nicandra physalodes* (L.) Gaertn.
var. *pes-tigridis* *Nicotiana plumbaginifolia* Viv.
Ipomoea purpurea (L.) Roth *Nicotiana rustica* L.
Ipomoea quamoclit L. *Nicotiana tabacum* L.
Ipomoea rumicifolia Choisy *Physalis minima* L.
Ipomoea turbinata Lagasca *Physalis peruviana* L.
Ipomoea violacea L. *Solanum americanum* Mill.
Jacquemontia paniculata (Burm.) Hall. *Solanum anguivi* Lam.
Jacquemontia pentantha (Jacq.) Don *Solanum asperolanatum* Ruiz & Pav.

- Solanum diphyllum* L.
Solanum dulcamara L.
Solanum elaeagnifolium Cav.
Solanum erianthum Don
Solanum incanum L.
Solanum lasiocarpum Dunal
Solanum melongena L.
Solanum torvum Sw.
Solanum triquetrum Cav.
Solanum tuberosum L.
Solanum verbascifolium L.
Solanum viarum Dunal
Solanum violaceum Ortega
Solanum virginianum L.
Withania somnifera (L.) Dunal
- SCROPHULARIACEAE**
- Alectra parasitica* Rich. subsp. *chitrakutensis* (Rau) Khanna & Kumar
Alectra thomsonii Hook.
Antirrhinum majus L.
Antirrhinum orontium L.
Bacopa hamiltoniana (Benth.) Wettst.
Bacopa monnieri (L.) Wettst.
Buchnera hispida Buch.-Ham. ex Don
Centranthera nepalensis Don
Dopatrium junceum (Roxb.) Buch.-Ham. ex Benth.
Glossostigma diandrum (L.) Kuntze
Limnophila aquatica (Roxb.) Alston
Limnophila aromatica (Lam.) Merr.
Limnophila chinensis (Osb.) Merr.
Limnophila heterophylla (Roxb.) Benth.
Limnophila indica (L.) Druce
Limnophila polyantha Kurz ex Hook.
Limnophila rugosa (Roth) Merr.
Limnophila sessiliflora (Vahl) Blume
Lindenbergia indica (L.) Vatke
Lindenbergia macrostachya (Benth.) Benth.
Lindenbergia muraria (Roxb. ex Don) Bruehl
- Lindenbergia philippensis* Benth.
Lindernia anagallis (Burm.) Pennell
Lindernia antipoda (L.) Alston
Lindernia ciliata (Colsm.) Pennell
Lindernia crustacea (L.) Muell.
Lindernia hyssopoides (L.) Haines
Lindernia multiflora (Roxb.) Mukerjee
Lindernia nummulariifolia (Don) Wettst.
Lindernia parviflora (Roxb.) Haines
Lindernia procumbens (Krock.) Philcox
Lindernia viscosa (Hornem.) Boldingh
Mazus delavayi Bonati
Mazus pumilus (Burm.) Steenis
Mazus surculosus Don
Mecardonia procumbens (Mill.) Small
Microcarpaea minima (Koenig ex Retz.) Merr.
Mimulus strictus Benth.
Nanorrhinum ramosissimum (Wall.) Betsche
Russelia equisetiformis Schlechtend. & Cham.
Scoparia dulcis L.
Sopubia delphiniifolia (L.) Don
Stemodia viscosa Roxb.
Striga angustifolia (Don) Saldanha
Striga asiatica (L.) Kuntze
Striga densiflora (Benth.) Benth.
Striga gesnerioides (Willd.) Vatke
Striga sulphurea Dalzell & Gibson
Sutera dissecta (Delile) Walp.
Torenia fournieri Linden ex Fourn.
Torenia indica Saldanha
Verbascum chinense (L.) Santapau
Verbascum thapsus L.
Veronica agrestis L.
Veronica anagallis-aquatica L.
Veronica polita Fr.
- OROBANCHACEAE**
- Aeginetia indica* L.
Orobanche aegyptiaca Pers.

| | |
|---|---|
| <i>Orobanche cernua</i> Loefl. | MARTYNIACEAE |
| LENTIBULARIACEAE | <i>Martynia annua</i> L. |
| <i>Utricularia aurea</i> Lour. | ACANTHACEAE |
| <i>Utricularia australis</i> R.Br. | <i>Andrographis echiooides</i> (L.) Nees |
| <i>Utricularia exoleta</i> R.Br. | <i>Andrographis paniculata</i> (Burm.) Wall. ex Nees |
| <i>Utricularia scandens</i> Benj. | <i>Asystasia gangetica</i> (L.) Anderson |
| <i>Utricularia stellaris</i> L. | <i>Asystasia macrocarpa</i> Nees |
| GESNERIACEAE | <i>Barleria cristata</i> L. |
| <i>Achimenes longiflora</i> DC. | var. <i>cristata</i> |
| <i>Didymocarpus pedicellatus</i> R.Br. | var. <i>dichotoma</i> (Roxb.) Prain |
| <i>Didymocarpus pygmaeus</i> Clarke | <i>Barleria prionitis</i> L. |
| <i>Gloxinia perennis</i> (L.) Druce | <i>Barleria strigosa</i> Willd. |
| BIGNONIACEAE | <i>Blepharis integrifolia</i> (L.) Mey. & Drège ex Schinz |
| <i>Bignonia alliacea</i> Lam. | <i>Blepharis maderaspatensis</i> (L.) Heyne ex Roth |
| <i>Campsis grandiflora</i> (Thunb.) Schum. | <i>Crossandra infundibuliformis</i> (L.) Nees |
| <i>Campsis radicans</i> Seem. | <i>Dicliptera bupleuroides</i> Nees |
| <i>Crescentia cujete</i> L. | <i>Dicliptera chinensis</i> (L.) Juss. |
| <i>Dolichandra unguis-cati</i> (L.) Lohmann | <i>Dicliptera cuneata</i> Nees |
| <i>Dolichandrone falcata</i> (Wall. ex DC.) Seem. | <i>Dicliptera paniculata</i> (Forssk.) Darbysh. |
| <i>Dolichandrone spathacea</i> (L.) Seem. | <i>Dicliptera verticillata</i> (Forssk.) Chr. |
| <i>Fernandoa adenophylla</i> (Wall. ex Don) Steenis | <i>Dyschoriste nagchana</i> (Nees) Bennet |
| <i>Jacaranda mimosifolia</i> Don | <i>Ecbolium ligustrinum</i> (Vahl) Vollesen |
| <i>Kigelia africana</i> (Lam.) Benth. | <i>Elytraria acaulis</i> (L.) Lindau |
| <i>Millingtonia hortensis</i> L. | <i>Eranthemum pulchellum</i> Andrews |
| <i>Oroxylum indicum</i> (L.) Vent. | <i>Eranthemum purpurascens</i> Wight ex Nees |
| <i>Pyrostegia venusta</i> (Ker-Gawl.) Miers | <i>Eranthemum roseum</i> (Vahl) R.Br. |
| <i>Radermachera gigantea</i> (Blume) Miq. | <i>Haplanthodes tentaculatus</i> (L.) Majumdar |
| <i>Spathodea campanulata</i> Beauv. | <i>Haplanthodes verticillatus</i> (Roxb.) Majumdar |
| <i>Stereospermum chelonoides</i> (L.) DC. | <i>Hemigraphis crenata</i> (Benth. ex Hohen.) Bremek. |
| <i>Stereospermum tetragonum</i> DC. | <i>Hemigraphis hirta</i> (Vahl) Anderson |
| <i>Tabebuia heterophylla</i> (DC.) Britton | <i>Hemigraphis latebrosa</i> (Heyne ex Roth) Nees |
| <i>Tabebuia rosea</i> (Bertol.) DC. | <i>Hemigraphis rupestris</i> Heyne ex Anderson |
| <i>Tecoma capensis</i> (Thunb.) Lindl. | <i>Hemigraphis urens</i> (Roth) Wood |
| <i>Tecoma stans</i> (L.) Juss. ex Kunth | <i>Hygrophila auriculata</i> (Schumach.) Heine |
| <i>Tecomella undulata</i> (Sm.) Seem. | <i>Hygrophila difformis</i> (L.) Blume |
| PEDALIACEAE | <i>Hygrophila erecta</i> (Burm.) Hochr. |
| <i>Pedalium murex</i> L. | <i>Hygrophila pinnatifida</i> (Dalzell) Sreem. |
| <i>Sesamum indicum</i> L. | <i>Hygrophila polysperma</i> (Roxb.) Anderson |

- Hygrophila ringens* (L.) R.Br. ex Spreng.
Hygrophila serpyllum (Nees) Anderson
Justicia adhatoda L.
Justicia diffusa Willd.
Justicia gendarussa Burm.
Justicia neesii Ramamoorthy
Justicia orbiculata Wall. ex Anderson
Justicia peploides (Nees) Anderson
Justicia procumbens L.
Justicia prostrata (Roxb. ex Clarke) Gamble
Justicia quinqueangularis Koenig ex Roxb.
Justicia simplex Don
Lepidagathis cristata Willd.
Lepidagathis cuspidata Nees
Lepidagathis hamiltoniana Wall. ex Nees
Lepidagathis incurva Buch.-Ham. ex Don
Lepidagathis purpuricaulis Nees
Lepidagathis trinervis Nees
Nelsonia canescens (Lam.) Spreng.
Petalidium barlerioides (Roth) Nees
Phlogacanthus thyrsiformis (Roxb. ex Hardw.) Mabb.
Rhinacanthus nasutus (L.) Kurz
Ruellia beddomei Clarke
Ruellia patula Jacq.
Ruellia prostrata Poir.
Ruellia suffruticosa Roxb.
Ruellia tuberosa L.
Rungia pectinata (L.) Nees
Rungia repens (L.) Nees
Staurogyne glutinosa (Wall. ex Clarke) Kuntze
Staurogyne polybotrya (Nees) Kuntze
Staurogyne spatulata (Blume) Koord.
Strobilanthes angustifrons Clarke
Strobilanthes auriculatus Nees
Strobilanthes tomentosa (Nees) Wood
Thunbergia alata Bojer ex Sims
Thunbergia erecta (Benth.) Anderson
Thunbergia fragrans Roxb.
Thunbergia grandiflora (Roxb. ex Rottler) Roxb.
Thunbergia laevis Nees
VERBENACEAE
Callicarpa arborea Roxb.
Callicarpa longifolia Lam.
Callicarpa macrophylla Vahl
Citharexylum spinosum L.
Clerodendrum aculeatum (L.) Schltdl.
Clerodendrum calamitosum L.
Clerodendrum chinense (Osbeck) Mabb.
Clerodendrum cordatum Don
Clerodendrum heterophyllum (Poir.) R.Br.
Clerodendrum indicum (L.) Kuntze
Clerodendrum inerme (L.) Gaertn.
Clerodendrum infortunatum L.
Clerodendrum paniculatum L.
Clerodendrum phlomidis L.
Clerodendrum splendens Don
Duranta erecta L.
Glandularia aristigera (Moore) Tronc.
Gmelina arborea Roxb.
Gmelina asiatica L.
Gmelina philippensis Cham.
Holmskioldia sanguinea Retz.
Lantana camara L.
var. *camara*
var. *splendens* (Medik.) Moldenke
Lantana indica Roxb.
Lantana trifolia L.
Lantana veronicifolia Hayek
Lippia alba (Mill.) R.Br. ex Britton & Wilson
Petrea volubilis L.
Phyla nodiflora (L.) Greene
Premna barbata Wall. ex Schauer
Premna herbacea Roxb.
Premna mollissima Roth

| | |
|--|--|
| <i>Pseudocaryopteris bicolor</i> (Roxb. ex Hardw.) Cantino | <i>Leucas cephalotes</i> (Roth) Spreng. <i>Leucas clarkei</i> Hook. |
| <i>Rothea serrata</i> (L.) Steane & Mabb. | <i>Leucas decemdentata</i> (Willd.) Sm. |
| <i>Stachytarpheta jamaicensis</i> (L.) Vahl | var. <i>angustifolia</i> (Wall. ex Benth.) Singh |
| <i>Stachytarpheta mutabilis</i> (Jacq.) Vahl | var. <i>decemdentata</i> |
| <i>Stachytarpheta urticifolia</i> Sims | <i>Leucas hyssopifolia</i> Benth. |
| <i>Tectona grandis</i> L. | <i>Leucas lanata</i> Wall. ex Benth. |
| <i>Verbena bipinnatifida</i> Nutt. | <i>Leucas lavandulifolia</i> Sm. |
| <i>Verbena bonariensis</i> L. | <i>Leucas mollissima</i> Wall. ex Benth. subsp. <i>mollissima</i> |
| <i>Verbena officinalis</i> L. | subsp. <i>scaberula</i> (Hook.) Murti & Panigr. |
| <i>Vitex agnus-castus</i> L. | <i>Leucas nutans</i> (Roth) Spreng. |
| <i>Vitex leucoxylon</i> L. | <i>Leucas stricta</i> Heyne ex Benth. |
| <i>Vitex negundo</i> L. | <i>Leucas urticifolia</i> (Vahl) Sm. |
| <i>Vitex trifolia</i> L. | <i>Mentha arvensis</i> L. |
| LAMIACEAE | <i>Mentha piperita</i> L. |
| <i>Ajuga integrifolia</i> Buch.-Ham. | <i>Mentha spicata</i> L. |
| <i>Ajuga macrosperma</i> Wall. ex Benth. | <i>Mentha sylvestris</i> L. |
| <i>Ajuga parviflora</i> Benth. | <i>Mentha viridis</i> L. |
| <i>Anisochilus carnosus</i> (L.) Wall. ex Benth. | <i>Meriandra dianthera</i> (Roth ex Roem. & Schult.) Briq. |
| <i>Anisochilus eriocephalus</i> Benth. | <i>Nepeta graciliflora</i> Benth. |
| <i>Anisomeles indica</i> (L.) Kuntze | <i>Nepeta grandiflora</i> Bieb. |
| <i>Anisomeles malabarica</i> R.Br. ex Sims | <i>Nepeta hindostana</i> (Heyne ex Roth) Haines |
| <i>Clinopodium capitellatum</i> (Benth.) Kuntze | <i>Ocimum americanum</i> L. |
| <i>Clinopodium umbrosum</i> (M.-Bieb.) Kuntze | <i>Ocimum basilicum</i> L. |
| <i>Colebrookea oppositifolia</i> Sm. | <i>Ocimum gratissimum</i> L. |
| <i>Hyptis suaveolens</i> (L.) Poit. | <i>Ocimum kilimandscharicum</i> Gürke |
| <i>Isodon coetsa</i> (Buch.-Ham. ex Don) Kudô | <i>Ocimum tenuiflorum</i> L. |
| <i>Isodon japonicus</i> (Burm.) Hara | <i>Orthosiphon aristatus</i> (Blume) Miq. |
| <i>Isodon rugosus</i> (Wall. ex Benth.) Codd | <i>Orthosiphon pallidus</i> Royle ex Benth. |
| <i>Isodon ternifolius</i> (Don) Kudô | <i>Orthosiphon rubicundus</i> (Don) Benth. |
| <i>Lamium amplexicaule</i> L. | <i>Perilla frutescens</i> (L.) Britt. |
| <i>Lavandula bipinnata</i> (Roth) Kuntze | <i>Phlomoides superba</i> (Royle ex Benth.) Kamelin & Makhm. |
| <i>Leonotis nepetifolia</i> (L.) R.Br. | <i>Platostoma coloratum</i> (Don) Paton |
| <i>Leonurus sibiricus</i> L. | <i>Platostoma hispidum</i> (L.) Paton |
| <i>Leonurus tataricus</i> L. | <i>Plectranthus amboinicus</i> (Lour.) Spreng. |
| <i>Leucas aspera</i> (Willd.) Link | <i>Plectranthus mollis</i> (Aiton) Spreng. |
| <i>Leucas biflora</i> (Vahl) R.Br. var. <i>procumbens</i> (Desf.) Gamble | |

- Plectranthus scutellarioides* (L.) R.Br.
Pogostemon benghalensis (Burm.) Kuntze
Pogostemon crassicaulis (Benth.) Press
Pogostemon pubescens Benth.
Pogostemon stellatus (Lour.) Kuntze
Prunella vulgaris L.
Pycnostachys speciosa Gürke
Salvia aegyptiaca L.
Salvia coccinea Buc'hoz ex Etl.
Salvia farinacea Benth.
Salvia leucantha Cav.
Salvia officinalis L.
Salvia plebeia R.Br.
Salvia santolinifolia Boiss.
Salvia splendens Sellow ex Nees
PLANTAGINACEAE
Plantago exigua Juss. ex Murray
Plantago major L.
Plantago ovata Forssk.
NYCTAGINACEAE
Boerhavia chinensis (L.) Rottb.
Boerhavia diffusa L.
Boerhavia erecta L.
Boerhavia plumbaginea Cav.
Boerhavia procumbens Banks ex Roxb.
Boerhavia repens L.
Bougainvillea glabra Choisy
Bougainvillea spectabilis Willd.
Mirabilis jalapa L.
AMARANTHACEAE
Achyranthes aspera L.
var. *aspera*
var. *porphyristachya* (Wall. ex Moq.) Hook.
var. *pubescens* (Moq.) Towns.
Achyranthes bidentata Blume
Aerva javanica (Burm.) Juss. ex Schult.
var. *bovei* Webb
var. *javanica*
Aerva lanata (L.) Juss.
Aerva sanguinolenta (L.) Blume
Allmania nodiflora (L.) ex Wight
Alternanthera paronychioides Hill.
Alternanthera philoxeroides (Mart.) Griseb.
Alternanthera pungens Kunth
Alternanthera sessilis (L.) ex DC.
Amaranthus caudatus L.
Amaranthus graecizans L.
subsp. *graecizans*
subsp. *silvestris* (Vill.) Brenan
Amaranthus hypochondriacus L.
Amaranthus lividus L.
subsp. *lividus*
subsp. *polygonoides* (Moq.) Probst
Amaranthus spinosus L.
Amaranthus tenuifolius Willd.
Amaranthus tricolor L.
Amaranthus viridis L.
Celosia argentea L.
var. *argentea*
var. *cristata* (L.) Kuntze
Centrostachys aquatica (R.Br.) Wall. ex Moq.
Deeringia amaranthoides (Lam.) Merr.
Digera muricata (L.) Mart.
Gomphrena celosioides Mart.
Gomphrena globosa L.
Nothosaerva brachiata (L.) Wight
Psilotrichum ferrugineum (Roxb.) Moq.
Pupalia lappacea (L.) Juss.
Trichuriella monsoniae (L.) Bennet
CHENOPodiaceae
Atriplex hortensis L.
Atriplex nummularia Lindl.
Bassia indica (Wight) Scott
Bassia trichophylla (Stapf) Khanna

| | |
|---|---|
| <i>Beta vulgaris</i> L. | <i>Polygonum serrulatum</i> Lag. |
| <i>Chenopodium album</i> L. | <i>Polygonum tomentosum</i> Willd. |
| <i>Chenopodium murale</i> L. | <i>Rumex acetosella</i> L. |
| <i>Dysphania ambrosioides</i> (L.) Mosyakin & Clemants | <i>Rumex dentatus</i> L. |
| <i>Spinacia oleracea</i> L. | <i>Rumex hastatus</i> Don |
| <i>Suaeda nudiflora</i> Moq. | <i>Rumex maritimus</i> L. |
| <i>Suaeda vermiculata</i> Forssk. ex Gmel. | <i>Rumex nepalensis</i> Spreng. |
| BASELLACEAE | <i>Rumex nigricans</i> Hook. |
| <i>Basella alba</i> L. | <i>Rumex patientia</i> L. subsp. <i>orientalis</i> (Bernh. ex Schult. & Schult.) Danser |
| PHYTOLACCACEAE | <i>Rumex vesicarius</i> L. |
| <i>Rivina humilis</i> L. | ARISTOLOCHIACEAE |
| POLYGONACEAE | <i>Aristolochia bracteolata</i> Lam. |
| <i>Antigonon leptopus</i> Hook. & Arn. | <i>Aristolochia indica</i> L. |
| <i>Fagopyrum esculentum</i> Moench | <i>Aristolochia labiata</i> Willd. |
| <i>Fagopyrum tataricum</i> Gaertn. | <i>Aristolochia ringens</i> Vahl |
| <i>Muehlenbeckia platyclada</i> (Muell. ex Hook.) Meisn. | PIPERACEAE |
| <i>Polygonum barbatum</i> L. | <i>Peperomia pellucida</i> (L.) Kunth |
| subsp. <i>barbatum</i> | <i>Piper betle</i> L. |
| subsp. <i>gracile</i> Danser | <i>Piper longum</i> L. |
| var. <i>stagninum</i> (Buch.-Ham. ex Meisn.) Steward | <i>Piper mullesua</i> Buch.-Ham. ex Don |
| <i>Polygonum capitatum</i> Buch.-Ham. | <i>Piper nigrum</i> L. |
| <i>Polygonum chinense</i> L. | <i>Piper peepuloides</i> Roxb. |
| <i>Polygonum glabrum</i> Willd. | SAURURACEAE |
| <i>Polygonum hydropiper</i> L. subsp. <i>microcarpum</i> | <i>Houttuynia cordata</i> Thunb. |
| Danser | LAURACEAE |
| var. <i>lenticularis</i> Danser | <i>Beilschmiedia roxburghiana</i> Nees |
| var. <i>triquetrum</i> Danser | <i>Cassytha filiformis</i> L. |
| <i>Polygonum lapathifolium</i> L. var. <i>lanatum</i> (Roxb.) Steward | <i>Cinnamomum camphora</i> (L.) Presl |
| <i>Polygonum limbatum</i> Meisn. | <i>Cinnamomum tamala</i> Nees & Eberm. |
| <i>Polygonum minus</i> Huds. | <i>Cinnamomum verum</i> Presl. |
| <i>Polygonum nepalense</i> Meisn. | <i>Daphnidium pulcherrimum</i> Nees |
| <i>Polygonum orientale</i> L. | <i>Laurus nobilis</i> L. |
| <i>Polygonum persicaria</i> L. | <i>Litsea glutinosa</i> (Lour.) Robinson |
| <i>Polygonum plebeium</i> R.Br. | <i>Litsea monopetala</i> (Roxb.) Pers. |
| var. <i>effusa</i> (Meisn.) Hook. | <i>Litsea salicifolia</i> Hook. var. <i>laurifolia</i> Hook. |
| var. <i>plebeium</i> | <i>Ocotea lancifolia</i> (Schott) Mez |
| <i>Polygonum rottboellioides</i> Jaub. & Spach | |

PROTEACEAE

Grevillea robusta Cunn. ex R.Br.

LORANTHACEAE

Dendrophthoe falcata (L.) Etting.

Loranthus longiflorus Desr.

Loranthus pulverulentus Wall.

Viscum articulatum Burm.

Viscum monoicum Roxb. ex DC.

SANTALACEAE

Osyris quadripartita Salzm. ex Decne.

Santalum album L.

EUPHORBIACEAE

Acalypha amentacea Roxb. subsp. *wilkesiana* (Müll.Arg.) Fosberg

Acalypha ciliata Forssk.

Acalypha hispida Burm.

Acalypha indica L.

Acalypha lanceolata Willd.

Andrachne telephiooides L.

Antidesma acidum Retz.

Antidesma bunius (L.) Spreng.

Antidesma ghaesembilla Gaertn.

Antidesma montanum Blume

Aporosa octandra (Buch.-Ham. ex Don) Vickery

Baliospermum solanifolium (Burm.) Suresh

Bischofia javanica Blume

Breynia retusa (Dennst.) Alston

Breynia vitis-idaea (Burm.) Fischer

Bridelia montana (Roxb.) Willd.

Bridelia retusa (L.) Adr.Juss.

Bridelia stipularis (L.) Blume

Bridelia tomentosa Blume

Bridelia verrucosa Haines

Chrozophora hierosolymitana Spreng.

Chrozophora prostrata Dalzell

var. *parvifolia* (Klotzsch ex Schweinf.) Balakr.

var. *prostrata*

Chrozophorarottleri (Geisel.) Juss. ex Spreng.

Cleistanthus collinus (Roxb.) Benth. ex Hook.

Codiaeum variegatum (L.) Juss.

Croton bonplandianus Baill.

Croton persimilis Müll.Arg.

Croton tiglum L.

Drypetes assamica (Hook.) Pax & Hoffm.

Euphorbia antiquorum L.

Euphorbia caducifolia Haines

Euphorbia clarkeana Hook.

Euphorbia cristata Heyne ex Roth

Euphorbia dracunculoides Lam.

Euphorbia fusiformis Buch.-Ham. ex Don

Euphorbia granulata Forssk.

Euphorbia helioscopia L.

Euphorbia heterophylla L.

Euphorbia heyneana Spreng.

Euphorbia hirta L.

Euphorbia hispida Boiss.

Euphorbia hypericifolia L.

Euphorbia indica Lam.

Euphorbia lacei Craib

Euphorbia maddenii Boiss.

Euphorbia milii Des Moul.

Euphorbia neriifolia L.

Euphorbia nivulia Buch.-Ham.

Euphorbia parviflora L.

Euphorbia perbracteata Gage

Euphorbia prolifera Buch.-Ham. ex Don

Euphorbia prostrata Aiton

Euphorbia pulcherrima Willd. ex Klotzsch

Euphorbia rosea Retz.

Euphorbia rothiana Spreng.

Euphorbia royleana Boiss.

Euphorbia sebastinei Binojk. & Balakr.

Euphorbia serpens Kunth

Euphorbia stracheyi Boiss.

Euphorbia thymifolia L.

Euphorbia tirucalli L.

- Excoecaria cochinchinensis* Lour.
Falconeria insignis Royle
Flueggea leucopyrus Willd.
Flueggea virosa (Roxb. ex Willd.) Royle
Glochidion daltonii (Müll.Arg.) Kurz
Glochidion ellipticum Wight
Glochidion heyneanum (Wight & Arn.) Wight ex Bedd.
Glochidion lanceolarium (Roxb.) Voigt
Glochidion multiloculare (Willd.) Voigt
Homonoia riparia Lour.
Jatropha curcas L.
Jatropha glandulifera Roxb.
Jatropha gossypifolia L.
Jatropha heynei Balakr.
Jatropha integerrima Jacq.
Jatropha multifida L.
Jatropha podagraria Hook.
Macaranga denticulata (Blume) Müll.Arg.
Macaranga indica Wight
Mallotus philippensis (Lam.) Müll.Arg.
Mallotus repandus (Rottler) Müll.Arg.
Manihot esculenta Crantz
Microstachys chamaelea (L.) Müll.Arg.
Pedilanthus tithymaloides (L.) Poit.
Phyllanthus acidus (L.) Skeels
Phyllanthus airy-shawii Brunel & Roux
Phyllanthus amarus Schum. & Thonn.
Phyllanthus emblica L.
Phyllanthus fraternus Webster
Phyllanthus maderaspatensis L.
Phyllanthus reticulatus Poir.
Phyllanthus simplex Retz.
Phyllanthus urinaria L.
Putranjiva roxburghii Wall.
Ricinus communis L.
Sauvagesia brevipes Müll.Arg.
Sauvagesia compressus Müll.Arg.
- Sauvagesia quadrangularis* (Klein ex Willd.) Müll.Arg.
Tragia involucrata L.
Tragia plukenetii Radcl.-Sm.
Trewia nudiflora L.
Triadica cochinchinensis Lour.
Triadica sebifera (L.) Small
URTICACEAE
Boehmeria macrophylla Hornem.
Boehmeria nivea (L.) Gaud.
Elatostema cuneatum Wight
Gonostegia pentandra (Roxb.) Miq.
Laportea interrupta (L.) Chew
Neodistemon indicum (Wedd.) Babu & Henry
Pilea microphylla (L.) Liebm.
Pilea peploides (Gaud.) Hook. & Arn.
Pouzolzia zeylanica (L.) Benn.
Urtica dioica L.
Urtica pilulifera L.
ULMACEAE
Celtis australis L.
Celtis tetrandra Roxb.
Celtis timorensis Span.
Holoptelea integrifolia (Roxb.) Planch.
Trema orientalis (L.) Blume
Trema politoria (Planch.) Blume
Trema tomentosa (Roxb.) Hara
CANNABACEAE
Cannabis sativa L.
MORACEAE
Artocarpus communis Forst. & Forst.
Artocarpus heterophyllus Lam.
Artocarpus lacucha Roxb. ex Buch.-Ham.
Broussonetia papyrifera (L.) Vent.
Ficus amplissima Sm.
Ficus arnottiana (Miq.) Miq.
Ficus auriculata Lour.
Ficus benghalensis L.
var. *benghalensis*

| | |
|--|---|
| <i>var. krishnae</i> (DC.) Corner | SALICACEAE |
| <i>Ficus benjamina</i> L. | <i>Populus alba</i> L. |
| <i>Ficus carica</i> L. | <i>Salix denticulata</i> Andersson |
| <i>Ficus cupulata</i> Haines | <i>Salix tetrasperma</i> Roxb. |
| <i>Ficus elastica</i> Roxb. ex Hornem. | CERATOPHYLLACEAE |
| <i>Ficus hederacea</i> Roxb. | <i>Ceratophyllum demersum</i> L. |
| <i>Ficus heterophylla</i> L. | <i>Ceratophyllum submersum</i> L. |
| <i>Ficus hirta</i> Vahl | HYDROCHARITACEAE |
| <i>Ficus hispida</i> L. | <i>Blyxa aubertii</i> Rich. |
| <i>Ficus microcarpa</i> L. | <i>Blyxa octandra</i> (Roxb.) Planch. ex Thwaites |
| <i>Ficus mollis</i> Vahl | <i>Hydrilla verticillata</i> (L.) Royle |
| <i>Ficus palmata</i> Forssk. | <i>Hydrocharis dubia</i> (Blume) Backer |
| subsp. <i>palmata</i> | <i>Nechamandra alternifolia</i> (Roxb. ex Wight) Thwaites |
| subsp. <i>virgata</i> (Roxb.) Browicz | <i>Ottelia alismoides</i> (L.) Pers. |
| <i>Ficus pumila</i> L. | <i>Vallisneria spiralis</i> L. |
| <i>Ficus racemosa</i> L. | var. <i>denseserrulata</i> Makino |
| <i>Ficus religiosa</i> L. | var. <i>spiralis</i> |
| <i>Ficus repens</i> Roxb. ex Sm. | ORCHIDACEAE |
| <i>Ficus retusa</i> L. | <i>Aerides multiflora</i> Roxb. |
| <i>Ficus rumphii</i> Blume | <i>Aerides odorata</i> Lour. |
| <i>Ficus semicordata</i> Buch.-Ham. ex Sm. | <i>Calanthe plantaginea</i> Lindl. |
| <i>Ficus squamosa</i> Roxb. | <i>Cymbidium aloifolium</i> (L.) Sw. |
| <i>Ficus subincisa</i> Buch.-Ham. ex Sm. | <i>Cymbidium iridioides</i> Don |
| <i>Ficus tinctoria</i> Forst. | <i>Epipactis veratrifolia</i> Boiss. & Hohen. |
| subsp. <i>gibbosa</i> (Blume) Corner var. <i>gibbosa</i> | <i>Eulophia bicallosa</i> (Don) Hunt & Summerh. |
| subsp. <i>parasitica</i> (Willd.) Corner | <i>Eulophia dabia</i> (Don) Hochr. |
| <i>Ficus virens</i> Dryand. | <i>Eulophia explanata</i> Lindl. |
| <i>Ficus wildemaniana</i> Warb. ex Wildem. & Dur. | <i>Eulophia flava</i> (Lindl.) Hook. |
| <i>Maclura cochinchinensis</i> (Lour.) Corner | <i>Eulophia graminea</i> Lindl. |
| <i>Morus alba</i> L. | <i>Eulophia herbacea</i> Lindl. |
| <i>Morus australis</i> Poir. | <i>Eulophia mackinnonii</i> Duthie |
| <i>Morus macroura</i> Miq. | <i>Eulophia obtusa</i> (Lindl.) Hook. |
| <i>Morus nigra</i> L. | <i>Eulophia spectabilis</i> (Dennst.) Suresh |
| <i>Morus serrata</i> Roxb. | <i>Gastrochilus distichus</i> (Lindl.) Kuntze |
| <i>Streblus asper</i> Lour. | <i>Geodorum densiflorum</i> (Lam.) Schltr. |
| CASUARINACEAE | <i>Goodyera procera</i> (Gawl.) Hook. |
| <i>Casuarina equisetifolia</i> L. | <i>Habenaria commelinifolia</i> (Roxb.) Wall. ex Lindl. |

| | |
|--|--|
| <i>Habenaria digitata</i> Lindl. | HELICONIACEAE |
| <i>Habenaria furcifera</i> Lindl. | <i>Heliconia metallica</i> Planch. & Linden ex Hook. |
| <i>Habenaria marginata</i> ColeR.Br. | CANNACEAE |
| <i>Habenaria plantaginea</i> Lindl. | <i>Canna indica</i> L. |
| <i>Luisia trichorrhiza</i> (Hook.) Blume | AMARYLLIDACEAE |
| <i>Malaxis rheedei</i> Sw. | <i>Crinum asiaticum</i> L. |
| <i>Nervilia concolor</i> (Blume) Schltr. | <i>Crinum viviparum</i> (Lam.) Ansari & Nair |
| <i>Nervilia gammieana</i> (Hook.) Pfitzer | <i>Polianthes tuberosa</i> L. |
| <i>Oberonia falconeri</i> Hook. | <i>Zephyranthes carinata</i> Herb. |
| <i>Oberonia pachyrachis</i> Rchb. ex Hook. | <i>Zephyranthes texana</i> Herb. |
| <i>Pecteilis susannae</i> (L.) Raf. | HYPOXIDACEAE |
| <i>Pelatantheria insectifera</i> (Rchb.) Ridl. | <i>Curculigo orchioides</i> Gaertn. |
| <i>Peristylus affinis</i> (Don) Seidenf. | <i>Hypoxis aurea</i> Lour. |
| <i>Peristylus constrictus</i> (Lindl.) Lindl. | AGAVACEAE |
| <i>Pholidota imbricata</i> Lindl. | <i>Agave americana</i> L. |
| <i>Rhynchosystlis retusa</i> (L.) Blume | <i>Agave cantala</i> (Haw.) Roxb. ex Salm-Dyck |
| <i>Vanda tessellata</i> (Roxb.) Hook. ex Don | TACCACEAE |
| <i>Zeuxine strateumatica</i> (L.) Schltr. | <i>Tacca leontopetaloides</i> (L.) Kuntze |
| ZINGIBERACEAE | DIOSCOREACEAE |
| <i>Alpinia calcarata</i> (Haw.) Roscoe | <i>Dioscorea alata</i> L. |
| <i>Alpinia nutans</i> (L.) Roscoe | <i>Dioscorea belophylla</i> (Prain) Voigt ex Haines |
| <i>Amomum dealbatum</i> Roxb. | <i>Dioscorea bulbifera</i> L. |
| <i>Curcuma amada</i> Roxb. | var. <i>bulbifera</i> |
| <i>Curcuma angustifolia</i> Roxb. | var. <i>suavia</i> Prain & Burkill |
| <i>Curcuma aromatic</i> Salisb. | <i>Dioscorea esculenta</i> (Lour.) Burkill |
| <i>Curcuma longa</i> L. | <i>Dioscorea glabra</i> Roxb. |
| <i>Globba marantina</i> L. | var. <i>glabra</i> |
| <i>Globba orixensis</i> Roxb. | var. <i>vera</i> Prain & Burkill |
| <i>Globba racemosa</i> Sm. | <i>Dioscorea hispida</i> Dennst. var. <i>daemona</i> (Roxb.) Prain & Burkill |
| <i>Hedychium coronarium</i> Koenig | <i>Dioscorea oppositifolia</i> L. |
| <i>Zingiber capitatum</i> Roxb. | <i>Dioscorea pentaphylla</i> L. |
| <i>Zingiber officinale</i> Roscoe | var. <i>cardonii</i> Prain & Burkill |
| <i>Zingiber roseum</i> (Roxb.) Roscoe | var. <i>communis</i> Prain & Burkill |
| COSTACEAE | var. <i>linnaei</i> Prain & Burkill |
| <i>Cheiocostus speciosus</i> (Koenig) Specht | var. <i>pentaphylla</i> |
| MUSACEAE | var. <i>suli</i> Prain & Burkill |
| <i>Musa balbisiana</i> Colla | <i>Dioscorea pubera</i> Blume |
| <i>Musa paradisiaca</i> L. | |

| | |
|---|---|
| <i>Dioscorea wallichii</i> Hook. | COMMELINACEAE |
| var. <i>vera</i> Prain & Burkil | <i>Commelina attenuata</i> Koenig ex Vahl |
| var. <i>wallichii</i> | <i>Commelina benghalensis</i> L. |
| <i>Dioscorea wightii</i> Hook. | <i>Commelina caroliniana</i> Walter |
| LILIACEAE | <i>Commelina diffusa</i> Burm. |
| <i>Allium cepa</i> L. | <i>Commelina erecta</i> L. |
| <i>Allium sativum</i> L. | <i>Commelina forsskalii</i> Vahl |
| <i>Aloe vera</i> (L.) Burm. | <i>Commelina longifolia</i> Lam. |
| <i>Asparagus adscendens</i> Roxb. | <i>Commelina maculata</i> Edgew. |
| <i>Asparagus racemosus</i> Willd. | <i>Commelina suffruticosa</i> Blume |
| var. <i>javanicus</i> (Kunth) Baker | <i>Cyanotis adscendens</i> Dalzell |
| var. <i>racemosus</i> | <i>Cyanotis axillaris</i> (L.) Don ex Sweet |
| <i>Asparagus trichophyllum</i> Bunge | <i>Cyanotis cristata</i> (L.) Don |
| <i>Asphodelus tenuifolius</i> Cav. | <i>Cyanotis cucullata</i> (Roth) Kunth |
| <i>Chlorophytum arundinaceum</i> Baker | <i>Cyanotis fasciculata</i> (Heyne ex Roth) Schult. & |
| <i>Chlorophytum laxum</i> R.Br. | Schult. |
| <i>Chlorophytum nimmonii</i> Dalzell | <i>Floscopia scandens</i> Lour. |
| <i>Chlorophytum tuberosum</i> (Roxb.) Baker | <i>Murdannia blumei</i> (Hassk.) Brenan |
| <i>Drimia indica</i> (Roxb.) Jessop | <i>Murdannia edulis</i> (Stokes) Faden |
| <i>Gagea reticulata</i> (Pall.) Schult. & Schult. | <i>Murdannia nudiflora</i> (L.) Brenan |
| <i>Gloriosa superba</i> L. | <i>Murdannia spirata</i> (L.) Brückner |
| <i>Iphigenia indica</i> (L.) Gray ex Kunth | <i>Murdannia vaginata</i> (L.) Brückner |
| <i>Lebedouria revoluta</i> (L.) Jessop | <i>Tradescantia spathacea</i> Sw. |
| <i>Lilium polyphyllum</i> Don ex Royle | <i>Zebrina pendula</i> Schnizl. |
| RUSCACEAE | JUNCACEAE |
| <i>Ruscus aculeatus</i> L. | <i>Juncus bufonius</i> L. |
| <i>Ruscus hypophyllum</i> L. | <i>Juncus himalensis</i> Klotzsch |
| SMILACACEAE | <i>Juncus prismatocarpus</i> subsp. <i>leschenaultii</i> (Gay ex Laharpe) Kirschner |
| <i>Smilax ocreata</i> DC. | ARECACEAE |
| <i>Smilax ovalifolia</i> Roxb. ex Don | <i>Borassus flabellifer</i> L. |
| <i>Smilax perfoliata</i> Lour. | <i>Calamus tenuis</i> Roxb. |
| <i>Smilax wightii</i> DC. | <i>Caryota urens</i> L. |
| <i>Smilax zeylanica</i> L. | <i>Cocos nucifera</i> L. |
| PONTEDERIACEAE | <i>Livistona chinensis</i> (Jacq.) R.Br. ex Mart. |
| <i>Eichhornia crassipes</i> (Mart.) Solms | <i>Phoenix acaulis</i> Roxb. |
| <i>Monochoria hastata</i> (L.) Solms | <i>Phoenix dactylifera</i> L. |
| <i>Monochoria vaginalis</i> (Burm.) Presl | <i>Phoenix loureiroi</i> Kunth |

| | |
|---|--|
| <i>Phoenix rupicola</i> Anderson | <i>Wolffia globosa</i> (Roxb.) Hartog & Plas |
| <i>Phoenix sylvestris</i> (L.) Roxb. | <i>Wolffia microscopica</i> (Griff.) Kurz |
| <i>Roystonea regia</i> (Kunth) Cook | ALISMATACEAE |
| <i>Wallichia oblongifolia</i> Griff. | <i>Alisma lanceolatum</i> With. |
| PANDANACEAE | <i>Alisma plantago-aquatica</i> L. |
| <i>Pandanus odorifer</i> (Forssk.) Kuntze | <i>Caldesia oligococca</i> (Muell.) Buchenau |
| TYPHACEAE | <i>Caldesia parnassifolia</i> (L.) Parl. |
| <i>Typha angustifolia</i> L. | <i>Limnophyton obtusifolium</i> (L.) Miq. |
| <i>Typha elephantina</i> Roxb. | <i>Sagittaria guayanensis</i> Humb., Bonpl. & Kunth subsp. <i>lappula</i> (Don) Bogin |
| SPARGANIACEAE | <i>Sagittaria sagittifolia</i> L. |
| <i>Sparganium erectum</i> L. | <i>Sagittaria trifolia</i> L. |
| ARACEAE | LIMNOCHARITACEAE |
| <i>Acorus calamus</i> L. | <i>Butomopsis latifolia</i> (Don) Kunth |
| <i>Alocasia macrorrhizos</i> (L.) Don | BUTOMACEAE |
| <i>Amorphophallus margaritifer</i> (Roxb.) Kunth | <i>Butomus umbellatus</i> L. |
| <i>Amorphophallus paeoniifolius</i> (Dennst.) Nicolson var. <i>campanulatus</i> (Decne.) Sivadasan | NAJADACEAE |
| <i>Arisaema tortuosum</i> (Wall.) Schott | <i>Najas graminea</i> Delile |
| <i>Caladium bicolor</i> (Aiton) Vent. | <i>Najas marina</i> L. |
| <i>Colocasia esculenta</i> (L.) Schott | <i>Najas minor</i> All. |
| <i>Cryptocoryne retrospiralis</i> (Roxb.) Kunth | APONOGETONACEAE |
| <i>Dieffenbachia seguine</i> (Jacq.) Schott | <i>Aponogeton crispus</i> Thunb. |
| <i>Epipremnum aureum</i> (Linden & André) Bunting | <i>Aponogeton natans</i> (L.) Engl. & Krause |
| <i>Monstera deliciosa</i> Liebm. | <i>Aponogeton undulatus</i> Roxb. |
| <i>Pistia stratiotes</i> L. | POTAMOGETONACEAE |
| <i>Pothos scandens</i> L. | <i>Potamogeton crispus</i> L. |
| <i>Remusatia vivipara</i> (Roxb.) Schott | <i>Potamogeton nodosus</i> Poir. |
| <i>Rhaphidophora glauca</i> (Wall.) Schott | <i>Potamogeton pectinatus</i> L. |
| <i>Sauromatum venosum</i> (Dryand. ex Aiton) Kunth | <i>Potamogeton perfoliatus</i> L. |
| <i>Scindapsus officinalis</i> (Roxb.) Schott | ZANNICHELLIACEAE |
| <i>Typhonium trilobatum</i> (L.) Schott | <i>Zannichellia palustris</i> L. |
| LEMNACEAE | ERIOCAULACEAE |
| <i>Lemna minor</i> L. | <i>Eriocaulon cinereum</i> R.Br. |
| <i>Lemna perpusilla</i> Torr. | <i>Eriocaulon edwardii</i> Fyson |
| <i>Lemna trisulca</i> L. | <i>Eriocaulon oryzetorum</i> Mart. |
| <i>Spirodela polyrrhiza</i> (L.) Schleid. | <i>Eriocaulon parviflorum</i> (Fyson) Ansari & Balakr. |
| <i>Wolffia arrhiza</i> (L.) Horkel ex Wimm. | <i>Eriocaulon pseudoquinquangulare</i> Ruhland |

| | |
|---|---|
| <i>Eriocaulon quinquangulare</i> L. | <i>Cyperus distans</i> L. |
| <i>Eriocaulon setaceum</i> L. | <i>Cyperus dubius</i> Rottb. |
| <i>Eriocaulon trilobum</i> Buch.-Ham. ex Koern. | <i>Cyperus elatus</i> L. |
| <i>Eriocaulon truncatum</i> Buch.-Ham. ex Mart. | <i>Cyperus esculentus</i> L. |
| CYPERACEAE | <i>Cyperus exaltatus</i> Retz. |
| <i>Actinoscirpus grossus</i> (L.) Goetgh. & Simpson | <i>Cyperus haspan</i> L. |
| <i>Bolboschoenus glaucus</i> (Lam.) Sm. | <i>Cyperus imbricatus</i> Retz. |
| <i>Bolboschoenus maritimus</i> (L.) Palla | <i>Cyperus iria</i> L. |
| subsp. <i>affinis</i> (Roth) Koyama | <i>Cyperus kyllingiella</i> Larridon |
| subsp. <i>maritimus</i> | <i>Cyperus laevigatus</i> L. |
| <i>Bulbostylis barbata</i> (Rottb.) Clarke | <i>Cyperus laxus</i> Lam. emend. Poir. |
| <i>Bulbostylis densa</i> (Wall.) Hand.-Mazz. | <i>Cyperus leucocephalus</i> Retz. |
| <i>Bulbostylis subspinescens</i> Clarke | <i>Cyperus meeboldii</i> Kük. |
| <i>Carex cruciata</i> Wahlenb. | <i>Cyperus michelianus</i> (L.) Delile |
| <i>Carex dimorpholepis</i> Steud. | subsp. <i>michelianus</i> |
| <i>Carex fedia</i> Nees | subsp. <i>pygmaeus</i> (Rottb.) Asch. & Graebn. |
| <i>Carex filicina</i> Nees | <i>Cyperus niveus</i> Retz. |
| <i>Carex heterostachya</i> Bunge | <i>Cyperus nutans</i> Vahl |
| <i>Carex myosurus</i> Nees | var. <i>eleusinoides</i> (Kunth) Haines |
| <i>Carex phacota</i> Spreng. | var. <i>nutans</i> |
| <i>Carex wallichiana</i> Spreng. | <i>Cyperus pangorei</i> Rottb. |
| <i>Courtoisina cyperoides</i> (Roxb.) Soják | <i>Cyperus paniceus</i> (Rottb.) Boeck. |
| <i>Cyperus alopecuroides</i> Rottb. | <i>Cyperus pilosus</i> Vahl |
| <i>Cyperus alternifolius</i> L. subsp. <i>flabelliformis</i> (Rottb.) | <i>Cyperus platystylis</i> R.Br. |
| Kük | <i>Cyperus procerus</i> Rottb. |
| <i>Cyperus alulatus</i> Kern | <i>Cyperus pulcherrimus</i> Willd. ex Kunth |
| <i>Cyperus amabilis</i> Vahl | <i>Cyperus rotundus</i> L. |
| <i>Cyperus bulbosus</i> Vahl | subsp. <i>rotundus</i> |
| <i>Cyperus castaneus</i> Willd. | var. <i>rotundus</i> |
| <i>Cyperus cephalotes</i> Vahl | var. <i>subcapitatus</i> (Clarke) Kük. |
| <i>Cyperus compactus</i> Retz. | subsp. <i>tuberous</i> (Rottb.) Kük. |
| <i>Cyperus compressus</i> L. emend. Dandy | <i>Cyperus serotinus</i> Rottb. |
| <i>Cyperus corymbosus</i> Rottb. | var. <i>inundatus</i> (Clarke) Kük |
| <i>Cyperus cuspidatus</i> Kunth | var. <i>serotinus</i> |
| <i>Cyperus cyperoides</i> (L.) Kuntze | <i>Cyperus silletensis</i> Nees |
| <i>Cyperus difformis</i> L. | <i>Cyperus squarrosus</i> L. |
| <i>Cyperus diffusus</i> Vahl | <i>Cyperus tenuispica</i> Steud. |
| <i>Cyperus digitatus</i> Roxb. | <i>Cyperus thomsonii</i> Boeck. |

- Eleocharis acicularis* (L.) Roem. & Schult.
Eleocharis acutangula (Roxb.) Schult.
Eleocharis atropurpurea (Retz.) J. & Presl
Eleocharis congesta Don
Eleocharis dulcis (Burm.) Trin. ex Henschel
Eleocharis geniculata (L.) Roem. & Schult.
Eleocharis ovata (Roth) Roem. & Schult.
Eleocharis palustris (L.) Roem. & Schult.
Eleocharis tetraquetra Nees
Eriophorum comosum (Wall.) Nees
Fimbristylis aestivalis (Retz.) Vahl
Fimbristylis alboviridis Clarke
Fimbristylis aphylla Steud.
Fimbristylis argentea (Rottb.) Vahl
Fimbristylis bisumbellata (Forssk.) Bubani
Fimbristylis complanata (Retz.) Link
Fimbristylis cymosa R.Br.
Fimbristylis dichotoma (L.) Vahl
 subsp. *dichotoma*
 subsp. *podocarpa* (Nees) Koyama
Fimbristylis dipsacea (Rottb.) Clarke
Fimbristylis falcata (Vahl) Kunth
Fimbristylis ferruginea (L.) Vahl
 subsp. *ferruginea*
 subsp. *sieberiana* (Kunth) Lye
Fimbristylis fuscinux Clarke
Fimbristylis hookeriana Boeck.
Fimbristylis littoralis Gaud.
Fimbristylis ovata (Burm.) Kern
Fimbristylis polytrichoides (Retz.) Vahl
Fimbristylis quinquangularis (Vahl) Kunth
Fimbristylis rigidula Nees
Fimbristylis schoenoides (Retz.) Vahl
Fimbristylis squarrosa Vahl
Fimbristylis tenera Schult.
 var. *oxylepis* (Steud.) Clarke
 var. *tenera*
- Fimbristylis tenuicula* Boeck.
Fimbristylis tetragona R.Br.
Fimbristylis thomsonii Boeck.
Fuirena ciliaris (L.) Roxb.
Fuirena cuspidata (Roth) Kunth
Fuirena umbellata Rottb.
Kyllinga brevifolia Rottb.
Kyllinga bulbosa Beauv.
Kyllinga melanosperma Nees
Kyllinga nemoralis (Forst. & Forst) Dandy ex Hutch. & Dalziel
Kyllinga odorata Vahl
Kyllinga squamulata Thonn. ex Vahl
Kyllinga tenuifolia Steud.
Lipocarpha chinensis (Osbeck) Kern
Lipocarpha squarrosa (L.) Goetgh.
Pycreus diaphanus (Schrad. ex Roem. & Schult.) Hooper & Koyama
Pycreus flavidus (Retz.) Koyama
Pycreus polystachyos (Rottb.) Beauv.
Pycreus pumilus (L.) Nees
Pycreus sanguinolentus (Vahl) Nees
Pycreus stramineus Clarke
Queenslandiella hyalina (Vahl) Ballard
Rhynchospora hookeri Boeck.
Rhynchospora longisetis R.Br.
Rhynchospora wightiana (Nees) Steud.
Schoenoplectiella articulata (L.) Lye
Schoenoplectiella juncoides (Roxb.) Lye
Schoenoplectiella lateriflora (Gmel.) Lye
Schoenoplectiella mucronata (L.) Jung & Choi
Schoenoplectiella roylei (Nees) Lye
Schoenoplectiella supina (L.) Lye
Schoenoplectus corymbosus (Roth ex Roem. & Schult.) Raynal
Schoenoplectus lacustris (L.) Palla
Schoenoplectus litoralis (Schrad.) Palla
Scleria corymbosa Roxb.

- Scleria levis* Retz.
Scleria parvula Steud.
POACEAE
Acrachna racemosa (Heyne ex Roth) Ohwi
Agrostis pilosula Trin.
Alloteropsis cimicina (L.) Stapf
Alopecurus nepalensis Trin. ex Steud.
Andropogon pumilus Roxb.
Apluda mutica L.
Apocoris paleacea (Trin.) Hochr.
Apocoris vaginata Hack.
Aristida adscensionis L.
Aristida cumingiana Trin. & Rupr.
Aristida cyanantha Nees ex Steud.
Aristida depressa Retz.
Aristida funiculata Trin. & Rupr.
Aristida hystricula Edgew.
Aristida hystrix L.
Aristida redacta Stapf
Aristida setacea Retz.
Arthraxon echinatus (Nees) Hochst.
Arthraxon hispidus (Thunb.) Makino
Arthraxon lanceolatus (Roxb.) Hochst.
Arthraxon lancifolius (Trin.) Hochst.
Arundinella bengalensis (Spreng.) Druce
Arundinella nepalensis Trin.
Arundinella pumila (Hochst. ex Rich.) Steud.
Arundinella setosa Trin.
Arundinella tuberculata Munro ex Lisboa
Arundo donax L.
Avena fatua L.
Avena sativa L.
Avena sterilis L.
Axonopus compressus (Sw.) Beauv.
Bambusa balcooa Roxb.
Bambusa bambos (L.) Voss
Bambusa nutans Wall. ex Munro
Bambusa vulgaris Schrad.
Bothriochloa bladhii (Retz.) Blake
Bothriochloa kuntzeana (Hack.) Henrard
Bothriochloa pertusa (L.) Camus
Brachiaria brizantha (Hochst. ex Rich.) Stapf
Brachiaria deflexa (Schumach.) Hubb. ex Robyns
Brachiaria distachya (L.) Stapf
Brachiaria eruciformis (Sm.) Griseb.
Brachiaria kurzii (Hook.) Camus
Brachiaria lata (Schumach.) Hubb.
Brachiaria mutica (Forssk.) Stapf
Brachiaria ramosa (L.) Stapf
Brachiaria reptans (L.) Gardner & Hubb.
Brachiaria subquadripala (Trin.) Hitchc.
Capillipedium assimile (Steud.) Camus
Capillipedium parviflorum (R.Br.) Stapf
Cenchrus biflorus Roxb.
Cenchrus ciliaris L.
Cenchrus pennisetiformis Hochst. & Steud. ex Steud.
Cenchrus prieurii (Kunth) Maire
Cenchrus setigerus Vahl
Chionachne gigantea (Koenig) Veldkamp
Chloris barbata Sw.
Chloris gayana Kunth ex Stapf
Chloris montana Roxb.
Chloris virgata Sw.
Chrysopogon aciculatus (Retz.) Trin.
Chrysopogon fulvus (Spreng.) Chiov.
Chrysopogon gryllus (L.) Trin.
Chrysopogon polyphyllus (Hack. ex Hook.) Blatt. & McCann
Chrysopogon serrulatus Trin.
Coelachne simpliciuscula (Wight & Arn. ex Steud.)
 Munro ex Benth.
Coix aquatica Roxb.
Coix lacryma-jobi L.
Crypsis schoenoides (L.) Lam.

- Cymbopogon commutatus* (Steud.) Stapf
Cymbopogon distans (Nees ex Steud.) Watson
Cymbopogon flexuosus (Nees ex Steud.) Watson
Cymbopogon jwarancusa (Jones) Schult.
Cymbopogon martini (Roxb.) Watson
Cymbopogon microstachys (Hook.) Soenarko
Cymbopogon osmastonii Parker
Cynodon barbieri Rang. & Tadul.
Cynodon dactylon (L.) Pers.
Cynodon plectostachyus (Schum.) Pilger
Cynodon radiatus Roth ex Roem. & Schult.
Cyrtococcum deccanense Bor
Cyrtococcum oxyphyllum (Steud.) Stapf
Cyrtococcum patens (L.) Camus
Dactyloctenium aegyptium (L.) Willd.
Dactyloctenium aristatum Link
Dactyloctenium scindicum Boiss.
Dendrocalamus strictus (Roxb.) Nees
Desmostachya bipinnata (L.) Stapf
Dichanthium annulatum (Forssk.) Stapf
Dichanthium caricosum (L.) Camus
Dichanthium foveolatum (Delile) Roberty
Diegetomis fastigiata (Sw.) Kunth
Digitaria abludens (Roem. & Schult.) Veldk.
Digitaria bicornis (Lam.) Roem. & Schult. ex Loud.
Digitaria ciliaris (Retz.) Koeler
Digitaria cruciata (Nees ex Steud.) A.Camus
Digitaria duthieana Henrard ex Bor
Digitaria longiflora (Retz.) Pers.
Digitaria radicosa (Presl) Miq.
Digitaria sanguinalis (L.) Scop.
Digitaria setigera Roth ex Roem. & Schult.
Digitaria stricta Roth ex Roem. & Schult.
Digitaria ternata (Rich.) Stapf
Digitaria violascens Link
Dimeria connivens Hack.
Dimeria ornithopoda Trin.
Dinebra retroflexa (Vahl) Panz.
- Diplachne malabarica* (L.) Merr.
Echinochloa colona (L.) Link
Echinochloa crus-galli (L.) Beauv.
Echinochloa frumentacea Link
Echinochloa picta (Koenig) Michael
Echinochloa pyramidalis (Lam.) Hitchc. & Chase
Echinochloa stagnina (Retz.) Beauv.
Eleusine coracana (L.) Gaertn.
Eleusine indica (L.) Gaertn.
Elionurus royleanus Nees ex Rich.
Elytrophorus spicatus (Willd.) Camus
Enteropogon dolichostachyus (Lag.) Keng
Eragrostiella bifaria (Vahl) Bor
Eragrostiella brachyphylla (Stapf) Bor
Eragrostiella leioptera (Stapf) Bor
Eragrostiella nardooides (Trin.) Bor
Eragrostis amabilis (L.) Wight & Arn.
Eragrostis aspera (Jacq.) Nees
Eragrostis atrovirens (Desf.) Trin. ex Steud.
Eragrostis cilianensis (All.) Janch.
Eragrostis ciliaris (L.) R.Br.
var. *brachystachya* Boiss.
var. *ciliaris*
Eragrostis ciliata (Roxb.) Nees
Eragrostis coarctata Stapf
Eragrostis curvula (Schrad.) Nees
Eragrostis gangetica (Roxb.) Steud.
Eragrostis japonica (Thunb.) Trin.
Eragrostis minor Host
Eragrostis nigra Nees ex Steud.
Eragrostis nutans (Retz.) Nees ex Steud.
Eragrostis patula (Kunth) Steud.
Eragrostis pilosa (L.) Beauv.
Eragrostis riparia (Willd.) Nees
Eragrostis tef (Zuccagni) Trott.
Eragrostis tremula (Lam.) Hochst. ex Steud.
Eragrostis unioloides (Retz.) Nees ex Steud.
Eragrostis viscosa (Retz.) Trin.

- Eragrostis zeylanica* Nees & Meyen
Eriochloa procera (Retz.) Hubb.
Eulalia fastigiata (Nees ex Steud.) Haines
Eulalia hirtifolia (Hack.) Camus
Eulalia leschenaultiana (Decne.) Ohwi
Eulalia trispicata (Schult.) Henrard
Eulaliopsis binata (Retz.) Hubb.
Garnotia elata (Arn. ex Miq.) Janowski
Garnotia tenella (Arn. ex Miq.) Janowski
Hackelochloa granularis (L.) Kuntze
Hemarthria altissima (Poir.) Stapf & Hubb.
Hemarthria compressa (L.) R.Br.
Hemarthria hamiltoniana Steud.
Heteropogon contortus (L.) Beauv. ex Roem. & Schult.
Heteropogon melanocarpus (Ell.) Benth.
Hordeum vulgare L.
Hygroryza aristata (Retz.) Nees ex Wight & Arn.
Hymenachne amplexicaulis (Rudge) Nees
Imperata cylindrica (L.) Raeuschl.
Isachne albens Trin.
Isachne globosa (Thunb.) Kuntze
Isachne himalaica Hook.
Isachne pulchella Roth ex Roem. & Schult.
Ischaemum molle Hook.
Ischaemum rugosum Salisb.
Iseilema antheophoroides Hack.
Iseilema hackelii Shrestha & Gandhi
Iseilema laxum Hack.
Iseilema prostratum (L.) Andersson
Lamarckia aurea (L.) Moench
Leersia hexandra Sw.
Leptochloa chinensis (L.) Nees
Leptochloa panicea (Retz.) Ohwi
Lolium remotum Schrank var. *aristatum* (Döll) Asch.
Lolium temulentum L.
Melanocenchrис jacquemontii Jaub. & Spach
Melinis minutiflora Beauv.
- Melinis repens* (Willd.) Zika
Microstegium ciliatum (Trin.) Camus
Microstegium nudum (Trin.) Camus
Mnesithea laevis (Retz.) Kunth
Neyraudia arundinacea (L.) Henrard
Ochthochloa compressa (Forssk.) Hilu
Ophiuros exaltatus (L.) Kuntze
Oplismenus burmannii (Retz.) Beauv.
Oplismenus compositus (L.) Beauv.
Oropetium roxburghianum (Steud.) Phillips
Oropetium thomaeum (L.) Trin.
Oryza minuta Presl ex Presl
Oryza rufipogon Griff.
Oryza sativa L.
Panicum antidotale Retz.
Panicum bisulcatum Thunb.
Panicum brevifolium L.
Panicum curviflorum Hornem.
Panicum humile Steud.
Panicum maximum Jacq.
Panicum miliaceum L.
Panicum paludosum Roxb.
Panicum repens L.
Panicum sumatrense Roth ex Roem. & Schult.
Paspalidium flavidum (Retz.) Camus
Paspalidium geminatum (Forssk.) Stapf
Paspalidium punctatum (Burm.) Camus
Paspalum distichum L.
Paspalum scrobiculatum L.
Paspalum vaginatum Sw.
Pennisetum glaucum (L.) R.Br.
Pennisetum hohenackeri Hochst. ex Steud.
Pennisetum hordeoides (Lam.) Steud.
Pennisetum orientale Rich.
Pennisetum pedicellatum Trin.
Pennisetum polystachion (L.) Schult.
Pennisetum purpureum Schum.
Perotis hordeiformis Nees

- Perotis indica* (L.) Kuntze
Phacelurus speciosus (Steud.) Hubb.
Phalaris minor Retz.
Phippsia algida (Soland.) R.Br.
Phragmites karka (Retz.) Trin. ex Steud.
Poa annua L.
Pogonatherum paniceum (Lam.) Hack.
Polypogon fugax Nees ex Steud
Polypogon monspeliensis (L.) Desf.
Polytrias indica (Houtt.) Veldkamp
Pseudopogonatherum contortum (Brongn.) Camus
Pseudoraphis brunoniana (Griff.) Pilg.
Pseudoraphis spinescens (R.Br.) Vickery
Pseudosorghum fasciculare (Roxb.) Camus
Rottboellia cochinchinensis (Lour.) Clayton
Saccharum arundinaceum Retz.
Saccharum bengalense Retz.
Saccharum filifolium Nees ex Steud.
Saccharum longisetosum (Anderss.) Narayanasw. ex Bor var. *hookeri* (Hack.) Shukla
Saccharum narenga (Nees ex Steud.) Hack.
Saccharum officinarum L.
Saccharum ravennae (L.) L.
Saccharum rufipilum Steud.
Saccharum spontaneum L.
Sacciolepis indica (L.) Chase
Sacciolepis interrupta (Willd.) Stapf
Sacciolepis myosuroides (R.Br.) Camus
Sc. uizachyrium brevifolium (Sw.) Buse
Schizachyrium exile (Hochst.) Pilg.
Schizachyrium sanguineum (Retz.) Alston
Schoenfeldia gracilis Kunth
Sclerostachya fusca (Roxb.) Camus
Secale cereale L.
Sehima nervosum (Rottler) Stapf
Sehima sulcatum (Hack.) Camus
Setaria barbata (Lam.) Kunth
Setaria forbesiana (Nees ex Steud.) Hook.
- Setaria homonyma* (Steud.) Chiov.
Setaria intermedia Roem. & Schult.
Setaria italica (L.) Beauv.
Setaria megaphylla (Steud.) Durand & Schinz
Setaria palmifolia (Koenig) Stapf
Setaria pumila (Poir.) Roem. & Schult.
Setaria verticillata (L.) Beauv.
Setaria viridis (L.) Beauv.
Sorghum cernuum (Ard.) Host var. *globosum* (Hack.) Snowden
Sorghum durra (Forssk.) Stapf var. *javanicum* (Hack.) Snowden
Sorghum halepense (L.) Pers.
Sorghum nitidum (Vahl) Pers.
Sporobolus capillaris Miq.
Sporobolus coromandelianus (Retz.) Kunth
Sporobolus diandrus (Retz.) Beauv.
Sporobolus fertilis (Steud.) Clayton
Sporobolus ioclados (Nees ex Trin.) Nees
Sporobolus maderaspatanus Bor
Sporobolus tenuissimus (Mart. ex Schrank) Kuntze
Sporobolus tremulus (Willd.) Kunth
Tetrapogon tenellus (Roxb.) Chiov.
Tetrapogon villosus Desf.
Themeda anathera (Nees ex Steud.) Hack.
Themeda arundinacea (Roxb.) Ridley
Themeda caudata (Nees ex Hook. & Arn.) Camus
Themeda laxa (Andersson) Camus
Themeda quadrivalvis (L.) Kuntze
Themeda strigosa (Buch.-Ham. ex Hook.) Camus
Themeda triandra Forssk.
Themeda villosa (Lam.) A.Camus
Thysanolaena latifolia (Roxb. ex Hornem.) Honda
Tragus mongolorum Ohwi
Tripogon lisboae Stapf
Triticum aestivum L.
Triticum dicoccon (Schrank) Schübl.
Triticum durum Desf.

Triticum monococcum L.
Triticum sphaerococcum Percival
Urochloa panicoides Beauv.
var. *panicoides*
var. *pubescens* (Kunth) Bor
Vetiveria lawsonii (Hook.) Blatt. & McCann
Vetiveria zizanioides (L.) Nash
Vulpia myuros (L.) Gmel.
Vulpia octoflora (Walter) Rydb.
Zea mays L.
Zea mexicana (Schrad.) Kuntze

DISCUSSION

The present check-list includes enumeration of 2,607 species under 1,094 genera belonging to 174 families. Out of these 633 species in 234 genera and 34 families belong to monocot and 1,974 species in 860 genera and 140 families belong to dicot. Further, Poaceae with 300 species is the largest family in the state followed by Fabaceae (229 spp.), Asteraceae (152 spp.), Cyperaceae (126 spp.), Euphorbiaceae (104 spp.), Acanthaceae (73 spp.), Lamiaceae

(70 spp.), Scrophulariaceae (56 spp.), Caesalpiniaceae (55 spp.) and Rubiaceae (55 spp.), whereas *Cyperus* with 43 species is the largest genus followed by *Euphorbia* (32 spp.), *Ficus* (27 spp.), *Crotalaria* (26 spp.), *Fimbristylis* (24 spp.), *Acacia* and *Indigofera* (23 spp. each), *Ipomoea* (22 spp.), *Eragrostis* (21 spp.), *Grewia* and *Solanum* (17 spp. each).

ACKNOWLEDGEMENTS

The author is thankful to the Director, Botanical Survey of India, Kolkata and Scientist-In-Charge, Botanical Survey of India, Central Regional Centre, Allahabad for providing necessary facilities.

REFERENCES

- Bentham G. & Hooker J. D. 1862-1883. Genera Plantarum. Vols. 1-3. London.
- Khanna K. K., Mudgal V., Uniyal B. P. & Sharma J. R. 1999. Dicotyledonous Plants of Uttar Pradesh A Check-list. Bishen Singh Mahendra Pal Singh, Dehra Dun.
- Uniyal B. P., Balodi B. & Baij Nath 1994. Grasses of Uttar Pradesh – A Checklist. Bishen Singh Mahendra Pal Singh, Dehra Dun.
- Uniyal S. K., Swami A. & Uniyal B. P. 1997. Cyperaceae of Uttar Pradesh – A Checklist. Bishen Singh Mahendra Pal Singh, Dehra Dun.
- Uniyal S. K., Swami A. & Uniyal B. P. 1999. Monocotyledonous Plants of Uttar Pradesh – (Excluding Cyperaceae & Poaceae) A checklist. Bishen Singh Mahendra Pal Singh, Dehra Dun.